

PROFORMA INVOICE

Jayal Patel . SSL

Vastukala Consultants (I) Pvt Ltd B1-001,U/B FLOOR, BOOMERANG,CHANDIVALI FARM ROAD, ANDHERI-EAST 400072 GSTIN/UIN: 27AADCV4303R1ZX State Name : Maharashtra, Code : 27 E-Mail : accounts@vastukala.org Buyer (Bill to) STATE BANK OF INDIA RACPC BORIVALI BRANCH MTNL BUILDING, DEVIDAS ROAD BORIVALI (W), MUMBAI GSTIN/UIN : 27AAACS8577K2ZO State Name : Maharashtra, Code : 27	Invoice No. PG-1866/23-24	Dated 7-Aug-23
	Delivery Note	Mode/Terms of Payment AGAINST REPORT
	Reference No. & Date.	Other References
	Buyer's Order No.	Dated
	Dispatch Doc No. 002905 / 2301925	Delivery Note Date
	Dispatched through	Destination
	Terms of Delivery	

SI No	Particulars	HSN/SAC	GST Rate	Amount
1	VALUATION FEE <i>(Technical Inspection and Certification Services)</i>	997224	18 %	2,500.00
				CGST 225.00
				SGST 225.00
Total				2,950.00

Amount Chargeable (in words) **Indian Rupee Two Thousand Nine Hundred Fifty Only** E. & O.E

HSN/SAC	Taxable Value	Central Tax Rate	Central Tax Amount	State Tax Rate	State Tax Amount	Total Tax Amount
997224	2,500.00	9%	225.00	9%	225.00	450.00
Total	2,500.00		225.00		225.00	450.00

Tax Amount (in words) : **Indian Rupee Four Hundred Fifty Only**

Company's Bank Details
 Bank Name : **State Bank of India**
 A/c No. : **32632562114**
 Branch & IFS Code : **MIDC Andheri (E) & SBIN0007074**

Remarks:
 Mrs. Jayshree Naresh Patel & Mr. Naresh Shankarbhai Patel - Residential Flat No. 603, 6th Floor, "Adcon Residency Co-op. Hsg. Soc. Ltd.", Pushpa Park, Road No. 4, Behind Classic Hotel, Plot No. 58, Village - Kurar, Taluka - Borivali, District - Mumbai Suburban, Malad (East), PIN - 400 097, State - Maharashtra, India.
 Company's PAN : **AADCV4303R**
 Declaration
 NOTE - AS PER MSME RULES INVOICE NEED TO BE CLEARED WITHIN 45 DAYS OR INTEREST CHARGES APPLICABLE AS PER THE RULE.
 MSME Registration No. - 27222201137



UPI Virtual ID : vastukala@icici
for Vastukala Consultants (I) Pvt Ltd

Rattod
 Authenticated Signatory

This is a Computer Generated Invoice



HR 918123

Dipati madam Received Report