



Note :-

- 1) ALL DIMENSIONS ARE IN F.P.S METHOD
- 2) COVER TO THE REINFORCEMENT DEVELOPMENT LENGTH AND LAP LENGTH ETC. SHALL BE ACCORDING TO PROVISION GIVEN AS IN IS:456-2000 (LATEST)
- 3) MIN. COVER TO ANY REINFORCEMENT SHALL BE 25 MM UNLESS SHOWN.
- 4) JOINTS OR LAPPING OF BARS SHALL BE SUITABLE STAGGERED AS PER CLAUSE 304.6.3 OF IRC-21-1972.
- 5) REINFORCEMENT STEEL USED SHALL BE OF HIGH YIELD CONFORMING TO IS 11139-1966 OR IS 1786-1966.



Drawing - Nagar Palika Permission		Drawn By :- Wasem Khan (CAD Certified)	Authorised By :- Er. Rajesh Sirvi (B.E.Civil)	Date :- 27-06-2016
Client - Mr. Ashok s/o Bherulal ji Patidar			<p style="text-align: center;"> <i>Er. Rajesh Sirvi</i> Reg. no. - 07 / 2014-15 Creative Consultant & Contractor Badnawar Dist. - Dhar (M.P.) </p> <p style="text-align: right;"> ममला चौक सापव ग्राम पंचायत कोद ज.पं. बदनावर (घार) म.प्र. </p>	
Project - Proposed Residential Building / Ground & First Floor				
Built up Area	Survey No.	ADD.	<p style="text-align: center;">  CREATIVE CONSULTANT & CONTRACTOR :- 8103565143, 9893536885 OFFICE :- Shop No. 3 Baba ki Dargah ke Pass, Bus Stand Badnawar Dist.-Dhar [M.P.] Pin - 454660 E :- c3consultant00@gmail.com </p>	
Ground Floor - 5603.43 Sqft.- 520.76 Sqm	---	Village Kod Teh Badnawar Distt.- Dhar [M.P.]		
First Floor - 2339.22 Sqft.- 217.39 Sqm				
Total :- 7942.65 Sqft.- 738.16 Sqm				


 सापव
 ग्राम पंचायत कोद
 ज.पं. बदनावर (घार)