

नवी मुंबई महानगरपालिका

कार्यालय: न.मुं.म.पा. मुख्यालय, भूखंड क्र.१, किल्ले गांवठाण जवळ, पामबीच जंक्शन, से -१५ए, सी.बी.डी. बेलापूर, नवी मुंबई - ४०० ६१४. दूरध्वनी: ०२२-२७५६ ७०७०/१/२/३/४/५

फॅक्स : ०२२-२७५७३७८५

Navi Mumbai Municipal Corporation

Office: N.M.M.C. Head Quarter, Plot No.1, Near Kille Gaonthan, Palmbeach Junction, Sec-15A, C.B.D. Belapur, Navi Mumbai - 400 614.

Tel.: 022 - 2756 7070 /1/2/3/4/5

Fax.: 022 - 27573785

जा.फ./नमुमपा/नरिव/बा.प./ए- Online No. 20171CNMMC11161/ ラピロ(/२०३७

विनांक :- ,२८/०४ /२०१७

पात. स. निलकंट इस्टोटेक. भूत्राह क्र. २६. सक्तर क्र. ०८. घणगोली. सवी संबर्ड

नर्स्ता क्र. - नमुंमपा/वि.प्र.क्र..--

Online No. 20171CNMMC11161

विषय :- भूखंड क्र. २६, सेक्टर क्र. ०८, घणसोली, नवी मुंबई या जागेत निवासी व वाणिज्य कारणासाठी बांधकाम परवानगी देणेबाबत.

गंदर्भ :- आपले वान्तुविशाख यांचा वि. २३-०२-२०१७ रोजीचा अर्ज

महोदय.

भृखंड क्र. २६, सेक्टर क्र. ०८, घणसीली, नवी मुंबई या जागेत निवासी व वाणिज्य कारणासाठी बांधकाम परवानगी देणेत्राबतचा प्रस्ताव महानगरपालिकेस वरील संदर्भाधिन पत्रान्यये प्राप्त झालेला आहे. संदर्भाधिन जागेत निवासी व वाणिज्य उपयोगासाठी बांधकाम परवानगी नुंबई प्रांतिक महानगरपालिका अधिनीयम १९४९ च्या कलम २५३ व २५४ तसेच महाराष्ट्र वार्विशक व नगररचना अधिनियम १९६६ च्या कलम ४५ (१) (३) मधील तरतुदीनुसार सदर पत्रातील १ ते ७ अटी व बांधकाम पार्भ प्रमाणपत्रातील अटी व शर्तीचे पूर्वता/पालन करणेचे अटीसापेक्ष प्रकरणी बांधकाम प्रारंभ प्रमाणपत्र मंजुर करण्यात येत आहे.

पाणी पुरवटा व मर्लान:सारण सुविधा आवश्यक शुल्क भरणा केल्यानंतर उपलब्ध करून देण्यात येतील.

सार्वजिनक स्वरूपाच्या रस्त्यावर व गटारीत बांधकाम साहित्य पडणार नाही याची दक्षता घेण्यात यावी. अशाप्रकारे बांधकाम साहित्य रस्त्यावर अथवा इतर सार्वजिनक जागेटर आढळुन आल्यास आपणावर कार्यवाही करणेबाबत संबंधित विभागास कळिक्णित येईल किंवा बांधकाम परवानगी रद्द करण्याबाबतची कार्यवाही सुध्दा करण्यात येईल याबाबतची नोंद ब्लावी.

बांधकाम सुरु असताना जागेवरील रिकामे गाळे/सदिनका यांची संरक्षणाची जबाबदारी संबंधित जिन्नमालक/भृग्रंडधारक/गाळेधारक यांची राहील. तसेच अर्धवट बांधलेल्या जागेचा गैरवापर होऊ नये म्हणुन संबंधित भुखंड थारकाने कुंपण भित बांधृन त्या ठिकाणी अनुचित प्रकार होणार नाही याची दक्षता ध्यावी. गैरकृत्य करताना आढळल्यास संबंधितांस कायदेशिर कार्यवाही करण्यात येईल याची नोंद घ्यावी.

भूखंड सखल भागामध्ये असल्यास जर्मीनीची पातळी (Ground Level) भरणी करून उंच करावी. जमीनीची पातळी ही रस्ता आणि Sewer Line यांच्यापेक्षा उंचावर असली पाहिजे. सांडपाणी, पावसाळयाचे पाणी आणि मल यांचा नियस योग्यपणे होजन भूखंडामध्ये पाणी साचणार नाही अशी भूखंडाची पातळी तयार करावी.

इमारतीचे बांधकाम मंजूर नकाशाप्रमाणे करण्यात यावे. बांधकामामध्ये फेरफार अथवा वाढीव बांधकाम करावयाचे ारण्यास महाराष्ट्र प्रादेशिक व नगररचना अधिनियमातील तरतुदीनुसार सुधारित बांधकाम नकाशे मंजुर करून घेणे आवश्यक आह. मंजुर नकाशा व्यतिरिक्त बांधकाम केल्यास ते कायद्यातील तरतुदीनुसार कारवाईस पात्र राहील. याची कृपया नोंद ध्यावी.

इमारतीचे बांधकाम करणारे मजुरांचे निवासाकरीता (Labour Shed) भूखंडाचे हदीत आरोग्याच्या दृष्टीकोनातुन त्यांचे तात्पुरते टॉयलंटसह सांय करणे आवश्यक आहे. त्यासाठी भूखंडाचे एका बाजुचे सामासिक अंतरात ३.०० मी. रुंदीचे तात्पुरती शेडस् टॉयलंट करण्यास परवानगी देणेत येत आहे. याबाबत पुरेशी व्यवस्था न केल्यास जोता लेव्हलचे पुढील काम करणेम परवानगी देता येणार नाही. तसेच भागवटा प्रमाणपत्रासाठी अर्ज करणेपूर्वी सदर शेड स्वखर्चाने काढुन टाकणेत याबी.

बंधिकाम सुरु करताना कामाचे नाव, बांधकाम परवानगीची तारीख, वास्तुविशारदाचे नाव, जिमन मालकाचे नांव, उकेदाराचे नाव, वांधकाम क्षेत्र इ. बार्बी दर्शविणास फलक लावण्यात यावा. महानगरपालिकेस माहीतीसाठी ठेकेदाराचे नाव व दुरध्यमी क्रमांक इ. बाबतचा तपशिल काम सुरु केल्यानंतर या कार्यालयास पाठविण्यात यावा हि विनंती.



- अट : १) प्रस्तुत भूखंडावरील इमारतीचं बांधकाम करीत असतांना बांधकामामुळे आजुबाजुच्या नाागरीकांना प्रदुषणाचा श्रास होणार नाही तसेच वांधकाम प्रगतीपथावर असताना बांधकामावरील मजूर अथवा सभोवतालच्या परिसरामधील -नागरीकांच्या मुर्गक्षिततेमाटी National Building Code मधील तरतुर्दीचे तसेच अनुपंगीक कायद्यातील तरतुर्दीच काटंकोरपणे पालन/अमलबजावणी करणे संबंधीत भूखंडधारक/विकासकांवर वंधनकारक राहील. जर भविष्यात आपले मालकीच्या भृखंडावर चालू असलेल्या वांधकामामुळे जिवीत अथवा सार्वजनिक/खाजगी मालमत्रेस कृठल्याही प्रकारची हानी झाल्यास त्यास संबंधीत भूखंडधारक/विकासक हे सर्वस्वी जबाबदार
 - २) प्रम्तत मृत्र्वंडावर भागवटा प्रमाणपत्रासाठी अर्ज सादर करणेपूर्वी आपले भूखंडाचे आजुबाजुस असणान्या सार्वज्ञानक स्वरुपाचे पदपथ. रस्त. गटारे, जलवाहित्या, मर्लान:स्मारण वाहित्या इत्यादी बाबीस काही हानी पोहोचली असल्यास सदर बाबी पृथंवत करण्याची सर्वस्वी जबाबदारी भूखंडधारकाची/विकासकाची राहील अन्यथा भोगवटा प्रमाणपत्रासाठी अर्ज विचारात घेतला जाणार नाही, याची नोंट ध्यावी.
 - ३) प्रस्तुत भुखंडावर बांधकाम परवानगी दिल्यानंतर संबंधित भुखंडाच्या वास्तृविशारदाने कामाच्या प्रगतीबाबतचा अहवाल दर दोन महिन्यांनी या कार्यालयास विना विलंब सादर करणे बंधनकारक राहील अन्यशा भोगवटा प्रमाणपत्रासाटी आपला अर्ज विचासत घेतला जाणार नाही याची नोंद ध्यावी.
 - शापण आपल नियांजित इमारतीचे बांधकाम प्रत्यक्ष सुरु करण्यापूर्वी आपण सादर केलेल्या हमीपजान्य बांधकाम करतांना आवश्यक असणाऱ्या कामगारांच्या कुटुंबामधील ६ ते ३४ वर्ष वयोगटातील मुले प्राथमिक शिक्षणापासून वंचित राहु नये या दृष्टीने त्यांच्या प्राथमिक शिक्षणाची सांच उपलब्ध होत असल्याची खातरजमा करण अनिवार्य आहे. तथा प्रकार कामगारांच्या कुटुंबाची व्यवस्था करण्याची आपली अथवा आपले द्वारा नियुक्त केलेल्या कंजाटदारांची सर्वर्यी जबाबदारी आहे. याची कृपया नोंद घ्यावी.
 - भागत मरकारच्या वन व पर्याचरण विभागाच्या Environmental Clearance बाबत दि. १३/०४/२०१७ राजीचं शासनाचं नगर विकास विभागाने कलम १५४ चे निर्देशानुगार प्रकल्पातील एकृण बांधकाम क्षेत्र ५००० ची.मी. पेक्षा जास्त व १.५०,०००/- ची.मी.पर्यंत अस्त्यास स्थानिक प्राधिकरणाने Environmental Clearance च्या अनुषंगाने कार्यवाही करणे आवश्यक आहे. तसेच सदर प्रकरणी विकासकाने यापुर्वीच केंद्र शासनास Environmental Clearance बाबत प्रस्ताव सादर केला असत्याने प्रकरणात Environmental Clearance प्राप्त करून घेतलेनंतरच Compound Wall चे नकाशातील प्रस्तावित बांधकाम वगळता उर्वरित बांधकाम जागेवर प्रत्यक्षात सुरुवात करता येणार नाही. सदर अटीचे पालन न करता जागेवर बांधकाम सुरु केल्याचे आढळून आल्यास प्रकरणात दिलेले बांधकाम प्रारंभ प्रमाणपत्र रह होईल.
 - ह) सोंडपाण्याच्या (Gray Water) पुनर्यापर बाबतच्या महाराष्ट्र शासनाच्या दि.७.६.२०१० रोजीच्या राजपत्रात प्रांसल्य झालंल्या नवी मुंबई महानगरपालिकेच्या विकास नियंत्रण नियमावलीच्या प्रारुप नियम क्र.३६(अ), कृष्ट्र मत्त्र भरतंत्र आपणांस अद्ययावत सांडपाणी पुनर्प्रक्रीया च वापर सयंत्राची तस्तुद करणे, त्या अनुपंगिक पाण्याची रयतंत्र टार्का च हिरव्या रंगाच्या पाईप लाईन्स बसविणे, कार्यान्वित करणे तसेच दुरुस्ती/देखभाल करणे वंधनकारक राहील. त्याअनुपंगाने आपणांस महापालिकेस प्रस्तावित जत्सर्जन व्यवस्थापन आराखडां सादर करणे वंधनकारक राहील. त्यानुसार पुनर्प्रक्रीया केलेल्या पाण्याचा वापर बागबिंगचे, फ्लर्शींग (Flushing) गाडया धुण्याकरिता (पिण्याच्या च स्वयंपाकगृहाच्या वापराब्यतिरिक्त) इत्यादो साठी वापरणे बंधनकारक राहील. उक्त प्रारुप नियमावली नगररचना विभागामध्ये तसेच नवी मुंबई महानगरपालिकेच्या संकेत स्थळावर (४००० मामानट gov.in) उपलब्ध आहे.
 - ७) प्रस्तुत प्रकरणात सादर करण्यात आलेली कुडर्लाही माहीती/कागदपत्रे चुकीची अथवा दिशाभूल करणारी असल्याचे निदर्शनास आल्यास सदरची परवानगी आयोआप रद्द होईल.

प्रत: माहितीसाठी

में. ट्राय आर्च डिझाईन म्टुडीओ, वास्तुविशास्ट
१८, गीरी कॉम्फ्लेक्स, फ्लॉट नं. १९, सेक्टर-११, सिबीडी, बेलापुर, नवी मुंबई

२) व्यवस्थापक (शहर सेवा - १), सिडको लि.

उप आयुक्त (उपकर), नमुंमपा.

ह) विभाग अधिकारी, घणसोली विभाग, नमुंमपा,

सहाय्यक संचालक,नगर रचना नवी मुंबई महानगरपालिका



NAVI MUMBAI MUNICIPAL CORPORATION COMMENCEMENT CERTIFICATE

NO:NMMC/TPD/BP/ Online No. 20171CNMMC11161/ 908 /2017

DATE:29/01/2017

Permission is hereby granted under Section 45(1) (iii) of the Maharashtra Regional & Town Planning Act,1966 and Section 253 & 254 of the Bombay Provincial Municipal Corporation Act,1949, M/s. Neelkanth Infratech on Plot No. 26, Sector No. 08, Ghansoli, Navi Mumbai. As per the approved plans and subject to the following conditions for the development work of the proposed Building.

Total Built Up Area = Resi. $-4388.635 \text{ M}^2 + \text{Comm.} - 1166.230 \text{ M}^2 = 5554.865 \text{ M}^2$ F.S.I. 1.151 (No. of Units -Residential - 102Nos., Commercial, -Shop - 22 Nos)

Total Built Up Area EWS = Resi. - 1447.749 M² F.S.I. 0.30 (20% Extra as per EWS Notification) (No. of Units - Residential - 33 Nos.)

1) The Certificate is liable to be revoked by the Corporation if:

- a) The development work in respect of which permission is granted under this Certificate is not carried out or the use there of is not in accordance with the sanctioned plans.
- b) Any of the conditions subject to which the same is granted or any of the restrictions imposed by the Corporation is contravened.
- c) The Municipal Commissioner is satisfied that the same is obtained by the Applicant through fraud & misrepresentation and the Applicant and for any person deriving title through or under him. In such and event shall be deemed to have carried out the development work in contravention of Section 43 or 45 of the Maharashtra Regional & Town Planning Act, 1966.

2) THE APPLICANT SHALL:

- a) Give a notice to the Corporation on completion up to plinth level and 7 days before the commencement of the further work.
- b) Give written notice to the Municipal Corporation regarding completion of work.
- c) Obtain an Occupancy Certificate from the Municipal Corporation.
- Allow the Officers of the Municipal Corporation to enter the building or premises for which the permission has been granted at any time for the purpose of enforcing the Building control Regulations and conditions of this Certificate.
 - The structural design, building materials, plumbing services, fire protection, electrical installation etc. shall be in accordance with the provision (except for provision in respect of floor area ratio) as prescribed in the National Building Code amended from time to time by the Indian Standard institutions.
- 4) The Certificate shall remain valid for a period of one year from the date of issue and can be further revalidated as required under provision of Section M. R. & T. P. Act, 1966. This commencement Certificate is renewable every year but such extended period—shall be in no case exceed three years provided further that such lapse shall not be any subsequent applicant for fresh permission under Section 44 of the Maharashtra Regional & Town Planning Act, 1966.
- 5) The condition of this Certificate shall be binding not only on the Applicant but also its successors and every person deriving title through or under them.
- A certified copy of the approved plans shall be exhibited on site and the Name Board showing name of Owner. Architect, Builder & Structural Engineer, Ward No., Sector No., Plot No., Survey No., Area of Plot., No. of flats, Built-up Area, Commencement Certificate No. & Date shall be installed on site.
- 7) The plot boundaries shall be physically demarcated immediately and the intimation be given to this section before completion of plinth work.
- The amount of S.D.Rs.2,32,195/- S.D. Rs.96,512/- for Mosquito Prevention's. Rs. 96,512/- for debris & S.D. Rs.24,500/- for Tree Plantation deposited with NMMC as Security Deposit shall be forfeited either in whole or in part at the absolute discretion of the corporation for breach of any other Building Control Regulation and condition attached to the permission covered by the Commencement Certificate. Such a forfeiture shall be without prejudice to any other remedy or right of the Municipal Corporation.
- 9) You shall provide overhead water tank on building & underground water tank in two compartments, one for drinking water & another for other than drinking water. It should confirm to the standards applicable in this behalf.
- 10) You should approach to the Executive Engineer, M.S.E.B. for the power requirement. location of transformer if any, etc.
- 11) Every plot of land shall have at least 1 tree for every 100 Sq.M. or part thereof of the plot area.

- 12) For all building of non-residential occupancies and residential building with more than 15M. height. Following additional conditions shall apply:
 - a) The staircase shall be separated by fire resistance walls and doors from rest of the buildings.
 - b) Exit from lift lobby shall be through a self closing smoke stop door.
 - c) There shall be no other machinery in the lift machinery room.
 - d) For centrally air conditioned building area of external open able windows on a floor shall be minimum 2.5 % of floor area.
 - e) One of the lift(Fire lift) shall have a minimum loading capacity of 6 persons. It shall solid doors. Lights shall not be designed in the staircase wall. have
 - f) Electrical cables etc. shall in separate ducts.
 - g) Alternate sources of electric supply or a diesel generator set shall be arranged.
 - h) Hazardous material shall not be stored.
 - i) Refuse stamps or storage places shall not be permitted in the staircase wall.
 - j) Fire fighting application shall be distributed over the building.
 - k) For building upto 24 M. Height capacity of underground storage tank and overhead storage shall be 50,000 ltrs. and 10,000 ltrs respectively. Wet rises shall be provided. Pump capacity 1000 ltrs./min and 250 ltrs/min. respectively. For building with height above 24 mtrs., the figures shall be 75000 ltrs. and 20,000 ltrs. and the
- pump capacity of 1350 ltrs/min and 450 ltrs/min respectively.
- Recreation ground or amenity open space be developed before submission of Building Completion 14)
- No work should be started unless the existing structures are to be demolished with atmost care. 15)
- Applicant/Architect should strictly follow all the conditions of lease agreement. Owner & Architect will be held responsible for breach of any condition of lease Agreement of CiDCO. 16)
- The Owner & the Architect and Structural Engineer concerned are fully responsible for the Construction quality of the building as per approved building plan. Structural design, Stability building construction quality, which should confirm to withstand an earthquake of Highest intensity in seismic zone IV. 17)
- The Óccupancy Certificate for the proposed building will not be granted unless the house Drainage lines are connected to the Municipal Main Sewer lines to the satisfaction of Municipal Authority as well as Plantation of trees and provision of garbage bin on the site. 18)
- Application for completion/occupation Certificate shall be accompanied with the plan as per construction done on the site. 19)
- Area of required parking spaces as shown in approved plan should be marked with the material of permanent nature with numbering. 20)
- The building material in reconstruction case or soil removed from the trenches should not be dumped or stored on municipal road. It should be dumped or stored on site as would be decided by the concern Ward Officers of Navi Mumbai Municipal Corporation.
- The building constructed should not be occupied without obtaining Occupation Certificate 21) Otherwise it will be treated as unauthorized use and necessary action as per law will be taken.
- This Commencement Certificate is valid up to plinth level only. The further order will be given 22) after the plinth is inspected. 23)
- The applicants should fulfill all the health related provisions mentioned in the "Implementation of Ant larval & Mosquito Prevention Activities during and after construction and Tree Authority Bye-Laws 1966 "The special mention is for mosquito prevention activities, construction of over-head tanks, debris removal and the sanitary conditions of drainage etc. 24)
- The time extension for completing the construction work from CIDCO should be submitted before applying for plinth completion Certificate. 25)
- The construction work shall be completed before dt. 21-11-2020 as per conditions mentioned in CIDCO agreement dt. 22-11-2016 respectively and must be applied for O.C. with all concerned 26)
- Window sill level must be at 0.90 M. height. The difference between chajja level & slab level must 27)
- The Owner & the architect are fully responsible for any Ownership. Area & Boundary disputes. In case of any dispute Navi Mumbai Municipal Corporation will not be responsible.
- Temporary Labour sheds with proper toilet arrangement shall be provided on the site. If sufficient 28) arrangement is not provided permission for construction above plinth level will not be granted & said temporary shed should be demolished prior to O.C.
- F.S.I. calculation submitted in the drawings shall be as per Development Control Rules. If any 29) discrepancy observed, the Architect will be held responsible and liable for necessary action.

- 30) The area shown open to sky on the ground floor plan should not be so used as would disturb the maneuvering of the vehicles required to be parked in the parking spaces shown in the plan.
- 31) The Owner & the Architect and Structural Engineer concerned area instructed to strictly adhere to the conditions of FIRE NOC issued vide NMMC/FIRE/HO/Vashi/2550/2017 dated 29/04/2017 by fire officer NMMC, Navi Mumbai.
- As directed by the Urban Development, Department Government of Maharashtra, under section 154 of MR&TP Act-1966 and vide provision No. TPB 432001/2133/CR-230/01/UD-11, dated 10/03/205, for all buildings greater than 300.00 sq. m. following additional condition of Rain Water Harvesting shall apply.
 - a) All the layout open spaces of Housing Society and new construction/ reconstruction/additions on plots having area not less than 300.00 sq. m. shall have one or more Rain Water Harvesting structures having minimum total capacity as detailed in Schedule (enclosed). Provided that the authority may approve the Rain Water harvesting Structures of specifications different from those in Schedule, subject to the minimum capacity of Rain Water Harvesting being ensured in each case.
 - b) The owner/ society of every building mentioned in the (a) above shall ensure that the Rain Water Harvesting structure is maintained in good repair for storage of water for non potable purposes or recharge of groundwater at all times.
 - c) The Authority may impose a levy of not exceeding Rs. 1000/- per annum for every 100 sq. m. of built up area for the failure of the owner of any building mentioned in the (a) above to provide or to maintain Rain Water Harvesting as required under these byelaws.
- As per the draft Regulation No.36(A) of 'Development Control Regulations' of Navi Mumbai Municipal Corporation regarding 'Gray Water reuse in housing & commercial complexes in Navi Mumbai' which was published in Maharashtra Government's Gazette dated 07.06.2010., You are required to construct, commission & maintain package advanced waste water treatment & recycle plant in the premises for the treatment, recycle & reuse including necessary storage tanks & green colored separate plumbing works.
 - In this regard, you shall submit proposed 'Discharge Management Plan' to the Navi Mumbai Municipal Corporation. The gray water effluent shall be recycled & reused for flushing and non-potable use (i.e. other than drinking / cooking purposes) etc. The aforesaid model draft bye laws as published in the Gazette of the Government of Maharashtra shall be available in the Town Planning Department as well as on website (www.nmmconline.gov.in) of the Navi Mumbai Municipal Corporation.
- The Occupancy Certificate for the proposed building will not be granted unless Solar Assisted Water Heating System shall be provided as stipulated in Rule Nc. 35 of D. C. R- 1994. (Copy attached herewith)

(Owais A. Momin) Assistant Director of Town Planning Navi Mumbai Municipal Corporation

- And