

TRUE COPY

DOM

Shree Consultant
Architects & Engineers
NASHIK-2



LOC
SC

AREA STATEMENT

PLOT NO.	AREA IN SQM.
1	500.20
2	500.20
3	258.75
4	251.25
5	258.75
6	258.75
7	251.25
8	258.75
9	258.75
10	251.25
11	258.75
12	193.64
13	193.64
14	261.00
15	258.30
16	254.70
TOTAL	4467.93

- AREA OF
- AREA OF
- AREA
- AREA U/D
- AREA U/D
- AREA U/D
- AREA U/D
- AREA U/D
- TOTAL AR

NOTES:-

- BOUNDARY
- OPEN SP
- PROPOSED
- ELECTRIC

PROPOSED
PLAN
DIST. N

SIGN OF OFFICER


OPEN
S NO 2

AREA STATEMENT

• AREA OF LAND S. NO. 202/1/VA PART	= 77950.00 SQM
• AREA OF D.P. ROAD	= 282.00 "
• AREA DEVELOPED	= 7668.00 "
• AREA U/D PLOT	= 4467.93 "
• AREA U/D OPEN SPACE	= 766.90 "
• AREA U/D ELECT SUBSTATION	= 50.00 "
• AREA U/D ROADS	= 1399.55 "
• AREA U/D AMENITY SPACE	= 983.52 "
• TOTAL AREA DEVELOPED	= 7350.00 "

NOTES:-

- BOUNDARY OF LAND S. NO. 202/1/1 SHOWN IN RED
- OPEN SPACE SHOWN IN GREEN
- PROPOSED ROAD SHOWN IN BLUE
- ELECTRIC SUB-STATION SHOWN IN YELLOW





**PROPOSED RESIDENTIAL LAYOUT
 PLAN IN S. NO. 202/1/VA-PATHARDI,
 DIST. NASHIK. FOR SHRI-S. N. KUTE**

- 1) THE
- 2) THE
- 3) THE
- 4) THE
- 5) NUME
- 6) TREES
- 7) THE
- 8) THE U
- 9) NO PE
- 10) NO SU
- 11) IN THE
- 12) THE L

6.00 M.W.D.P ROAD WIDENING

6.00 M.W. EXISTING ROAD

6.00 M.D.P ROAD WIDENING



7.50 M.W.R.O.A.D



AMENITY SPACE
387.52 SQ.MT.

12	193.64	
13	193.64	
14	261.00	
15	258.30	
16	254.70	
TOTAL	4487.93	


SIGN OF

OPEN S NO


6.00 M.W. D.P. ROAD WIDENING

6.00 M.W. EXISTING ROAD

6.00 M D.P. ROAD WIDENING



7.50 M.W. ROAD




AMENITY SPACE 180.52 SQ.M

OPEN SPAC S NO 202/1/

12	193.64
14	261.00
15	258.30
16	254.70
TOTAL	4667.93

SIGN OF OWNER

TRUE COPY
 Date: 20/11/2022
 Location: Nashik
 Scale: 1:1000



AREA STATEMENT	AREA IN SQM
1	500.70
2	500.70
3	250.75
4	251.25
5	250.75
6	250.75
7	251.25
8	250.75
9	251.25
10	250.75
11	193.64
12	193.64
13	261.00
14	258.30
15	258.30
16	258.70
TOTAL	4447.50

NOTES:
 1. AREA OF LAND IS NO. 211
 2. AREA OF DEVELOPMENT
 3. AREA UNDER PROPOSED SITE
 4. AREA UNDER OPEN SPACE
 5. AREA UNDER ELECTRIC SUBSTATION
 6. AREA UNDER ROADS
 7. AREA UNDER MASHIK FC
 8. AREA UNDER DEVELOPED

PROPOSED RESIDENTIAL LAYOUT PLAN IN S.NO. 211 VIVA-PATHARDI SHRI-S-N-KUTE

CONDITIONS
 1. THE LAY OUT SHOULD BE FOR 16 FLATS.
 2. THE ROAD WIDTH SHOULD BE 7.50 M.
 3. THE ROAD WIDTH SHOULD BE 7.50 M.
 4. THE ROAD WIDTH SHOULD BE 7.50 M.
 5. THE ROAD WIDTH SHOULD BE 7.50 M.
 6. THE ROAD WIDTH SHOULD BE 7.50 M.
 7. THE ROAD WIDTH SHOULD BE 7.50 M.
 8. THE ROAD WIDTH SHOULD BE 7.50 M.
 9. THE ROAD WIDTH SHOULD BE 7.50 M.
 10. THE ROAD WIDTH SHOULD BE 7.50 M.
 11. THE ROAD WIDTH SHOULD BE 7.50 M.
 12. THE ROAD WIDTH SHOULD BE 7.50 M.
 13. THE ROAD WIDTH SHOULD BE 7.50 M.
 14. THE ROAD WIDTH SHOULD BE 7.50 M.
 15. THE ROAD WIDTH SHOULD BE 7.50 M.
 16. THE ROAD WIDTH SHOULD BE 7.50 M.
 17. THE ROAD WIDTH SHOULD BE 7.50 M.
 18. THE ROAD WIDTH SHOULD BE 7.50 M.
 19. THE ROAD WIDTH SHOULD BE 7.50 M.
 20. THE ROAD WIDTH SHOULD BE 7.50 M.
 21. THE ROAD WIDTH SHOULD BE 7.50 M.
 22. THE ROAD WIDTH SHOULD BE 7.50 M.
 23. THE ROAD WIDTH SHOULD BE 7.50 M.
 24. THE ROAD WIDTH SHOULD BE 7.50 M.
 25. THE ROAD WIDTH SHOULD BE 7.50 M.
 26. THE ROAD WIDTH SHOULD BE 7.50 M.
 27. THE ROAD WIDTH SHOULD BE 7.50 M.
 28. THE ROAD WIDTH SHOULD BE 7.50 M.
 29. THE ROAD WIDTH SHOULD BE 7.50 M.
 30. THE ROAD WIDTH SHOULD BE 7.50 M.
 31. THE ROAD WIDTH SHOULD BE 7.50 M.
 32. THE ROAD WIDTH SHOULD BE 7.50 M.
 33. THE ROAD WIDTH SHOULD BE 7.50 M.
 34. THE ROAD WIDTH SHOULD BE 7.50 M.
 35. THE ROAD WIDTH SHOULD BE 7.50 M.
 36. THE ROAD WIDTH SHOULD BE 7.50 M.
 37. THE ROAD WIDTH SHOULD BE 7.50 M.
 38. THE ROAD WIDTH SHOULD BE 7.50 M.
 39. THE ROAD WIDTH SHOULD BE 7.50 M.
 40. THE ROAD WIDTH SHOULD BE 7.50 M.
 41. THE ROAD WIDTH SHOULD BE 7.50 M.
 42. THE ROAD WIDTH SHOULD BE 7.50 M.
 43. THE ROAD WIDTH SHOULD BE 7.50 M.
 44. THE ROAD WIDTH SHOULD BE 7.50 M.
 45. THE ROAD WIDTH SHOULD BE 7.50 M.
 46. THE ROAD WIDTH SHOULD BE 7.50 M.
 47. THE ROAD WIDTH SHOULD BE 7.50 M.
 48. THE ROAD WIDTH SHOULD BE 7.50 M.
 49. THE ROAD WIDTH SHOULD BE 7.50 M.
 50. THE ROAD WIDTH SHOULD BE 7.50 M.
 51. THE ROAD WIDTH SHOULD BE 7.50 M.
 52. THE ROAD WIDTH SHOULD BE 7.50 M.
 53. THE ROAD WIDTH SHOULD BE 7.50 M.
 54. THE ROAD WIDTH SHOULD BE 7.50 M.
 55. THE ROAD WIDTH SHOULD BE 7.50 M.
 56. THE ROAD WIDTH SHOULD BE 7.50 M.
 57. THE ROAD WIDTH SHOULD BE 7.50 M.
 58. THE ROAD WIDTH SHOULD BE 7.50 M.
 59. THE ROAD WIDTH SHOULD BE 7.50 M.
 60. THE ROAD WIDTH SHOULD BE 7.50 M.
 61. THE ROAD WIDTH SHOULD BE 7.50 M.
 62. THE ROAD WIDTH SHOULD BE 7.50 M.
 63. THE ROAD WIDTH SHOULD BE 7.50 M.
 64. THE ROAD WIDTH SHOULD BE 7.50 M.
 65. THE ROAD WIDTH SHOULD BE 7.50 M.
 66. THE ROAD WIDTH SHOULD BE 7.50 M.
 67. THE ROAD WIDTH SHOULD BE 7.50 M.
 68. THE ROAD WIDTH SHOULD BE 7.50 M.
 69. THE ROAD WIDTH SHOULD BE 7.50 M.
 70. THE ROAD WIDTH SHOULD BE 7.50 M.
 71. THE ROAD WIDTH SHOULD BE 7.50 M.
 72. THE ROAD WIDTH SHOULD BE 7.50 M.
 73. THE ROAD WIDTH SHOULD BE 7.50 M.
 74. THE ROAD WIDTH SHOULD BE 7.50 M.
 75. THE ROAD WIDTH SHOULD BE 7.50 M.
 76. THE ROAD WIDTH SHOULD BE 7.50 M.
 77. THE ROAD WIDTH SHOULD BE 7.50 M.
 78. THE ROAD WIDTH SHOULD BE 7.50 M.
 79. THE ROAD WIDTH SHOULD BE 7.50 M.
 80. THE ROAD WIDTH SHOULD BE 7.50 M.
 81. THE ROAD WIDTH SHOULD BE 7.50 M.
 82. THE ROAD WIDTH SHOULD BE 7.50 M.
 83. THE ROAD WIDTH SHOULD BE 7.50 M.
 84. THE ROAD WIDTH SHOULD BE 7.50 M.
 85. THE ROAD WIDTH SHOULD BE 7.50 M.
 86. THE ROAD WIDTH SHOULD BE 7.50 M.
 87. THE ROAD WIDTH SHOULD BE 7.50 M.
 88. THE ROAD WIDTH SHOULD BE 7.50 M.
 89. THE ROAD WIDTH SHOULD BE 7.50 M.
 90. THE ROAD WIDTH SHOULD BE 7.50 M.
 91. THE ROAD WIDTH SHOULD BE 7.50 M.
 92. THE ROAD WIDTH SHOULD BE 7.50 M.
 93. THE ROAD WIDTH SHOULD BE 7.50 M.
 94. THE ROAD WIDTH SHOULD BE 7.50 M.
 95. THE ROAD WIDTH SHOULD BE 7.50 M.
 96. THE ROAD WIDTH SHOULD BE 7.50 M.
 97. THE ROAD WIDTH SHOULD BE 7.50 M.
 98. THE ROAD WIDTH SHOULD BE 7.50 M.
 99. THE ROAD WIDTH SHOULD BE 7.50 M.
 100. THE ROAD WIDTH SHOULD BE 7.50 M.

SIDE OVERVIEW