



भारत सरकार / Government of India

वाणिज्य और उद्योग मंत्रालय/Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन /Petroleum & Explosives Safety Organisation (PESO)  
A1 & A2 wing, 5th Floor,C.G.O. complex, CBD Belapur, Navi Mumbai (M.S.),Mumbai - 400614

ई मेल/Email :- jccemumbai@explosives.gov.in  
दूरभाष/ Phone / Fax :- 022 - 27575946,27573881

दिनांक/Dated : 04/04/2019

सं/No. : A/S/HO/MH/03/2073 (S84465)

सेवा में/To,

M/s. SUASTH HEALTHCARE INDIA PRIVATE LIMITED.,  
PLOT NO 1, SEC 20, ROADPALI, OPP POLICE HQ, KALAMB, City,  
Mumbai, District MUMBAI,  
State: Maharashtra, Pin: 410218

विषय/Sub : Plot No. 1, SECTOR -20, KALAMBOLI ROADPALI, OPP. POLICE HQ, KALAMBOLI, Panvel, Taluka/Tehsil : Panvel, Village: Road Pali, District: RAIGAD, State: Maharashtra, PIN: 410218 पर **MEDICAL OXYGEN** गैस के संपीड़ित पात्र / पात्रों में भंडारण के लिये विमंति पत्र - अनुमति जारी करने के बारे में / Storage of **MEDICAL OXYGEN** gas in in pressure vessels at Plot No. 1, SECTOR -20, KALAMBOLI ROADPALI, OPP. POLICE HQ, KALAMBOLI, Panvel, Taluka/Tehsil : Panvel, Village: Road Pali, District: RAIGAD, State: Maharashtra, PIN: 410218 discrepancy letter - Regarding Grant of License

महोदय/Sir(s),

कृपया आपके आवेदन सं No. OIN285428 dated : 13/03/2019का संदर्भ ग्रहण करें / Reference your application No. OIN285428 dated : 13/03/2019.

आपके द्वारा प्रस्तुत दस्तावेजों/ अनुपालना की जांच करने पर, निम्नलिखित टिप्पणी की जा रही है / On scrutiny of documents/compliance submitted by you, following observations are made :

1. Please submit all the documents submitted at the time of approval except DD and a copy of approval and drawings approved by CCE, nagpur office.

उपरोक्ते दस्तावेजों/ अनुपालना की पावती प्राप्त होने पर आगे की कार्यवाई की जाएगी/Further action will be taken on receipt of above documents/compliance.

भवदीय/Yours faithfully,

(ए. के. श्रीवास्तव / A.K.Srivastava)  
विस्फोटक नियंत्रक / Controller of Explosives  
कृते संयुक्त मुख्य विस्फोटक नियंत्रक  
नवी मुंबई (महा.)/Mumbai  
For Jt. Chief Controller of Explosives  
Mumbai





Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

राज पोस्ट  
SPEED POST

SEP 5 2017

E-mail : explosives@explosives.gov.in  
Phone/Fax No : 0712 -2510248, Fax-  
2510577

Per Approval No : A/S/HO/MH/03/2073 (S84465)

Dated : 01/09/2017

To,

M/s. SUASTH HEALTHCARE INDIA PRIVATE LIMITED,,  
PLOT NO 1, SEC 20, ROADPALI, OPP POLICE HQ, KALAMBOLI, NAVI MUMBAI,  
Mumbai,  
District: MUMBAI  
State : Maharashtra  
PIN : 410218

Sub : Proposed storage of MEDICAL OXYGEN in pressure vessels at Village -1, SECTOR -20, KALAMBOLIKALAMBOLI, MUMBAI - PUNE ROAD,, NAVI MUMBAI, District : RAIGAD, State: Maharashtra PIN : 410218 Grant of approval of under SMPV (U) Rules, 2016.

Sir(s),

Reference: your letter No. NIL dated 17/08/2017

The following drawings received with your letter under reference in respect subject proposal meets with the approval of this office and two set thereof is sent herewith duly endorsed.

Sr No	Drawing Date	Drawing Number	Drawing Description
1	10/02/2017	W662-002	Site cum Layout
2	09/08/2017	W662-001	Site Plan

You are requested to submit the following additional drawings and documents for approval .

Please note that the vessels shall be fabricated by an approved manufacturer as per design drawings approved by this department under stage inspection by a recognized 3<sup>rd</sup> Party Inspecting Agency.

After installation of the facilities as per the approved drawings, you may submit the following documents for grant of licence in Form LS-1A of SMPV(U) Rules, 2016.

1. Application in Form AS-1.

2.4 copies of 'as-built' site, layout, foundation, P&I drawings and fabrication drawings of each pressure vessel.

3. Test & inspection certificates (certificate of control) issued by recognized 3<sup>rd</sup> Party Inspecting Agency (Original + 2 copies).

4. Safety certificates under rule 33 issued by recognized competent person (Original + 2 copies).

5.3 copies of certificate of periodic tests of vessel and safety valve under rules 18 & 19 (not required for new vessels).