# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 22640345

Fax: -

Website: http://mpcb.gov.in

**Email:** 

sromumbai4@mpcb.gov.in



Kalpataru Point, 1st floor, Opp. PVR Theatre, Sion (E), Mumbai-400022 .Maharashtra

GREEN/S.S.I (G37) Date: 13/06/2023

No:- Format1.0/SRO/UAN

No.0000164380/CE/2306000868

To,

M/s. Tripex Infra Project LLP Paradise CHS, Kousambo Nagar, Borivali West Mumbai-400092.



Sub: Consent to Establish Under Green Category

**Ref:** Your application for consent to establish having UAN No. MPCB-

CONSENT-0000164380 dated 06/03/2023

Your application No.MPCB-CONSENT-0000164380 Dated 06.03.2023

For: Grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. for consent to Establish for a period up to Commissioning of the unit or Five years which is earlier
- 2. The capital investment of the project is Rs.0.85 Crs. (As per C.A Certificate submitted by industry )
- 3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	иом
Prod	ucts		
1	Ready Mix Concrete	4800	m3/month

# 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	2	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	1.6	As per Schedule-I	Soaked in soak pit

### 5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved		
	NA					

### 6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	RMC Debris /Mud	5	MT/M	Land filling	Land filling as per plan approved by MCGM

Solid waste from transit mixture washing, muck (debris/sludge) generated from RMC shall either be reused through recovery unit/ Reclaiming system OR disposed off at a designated approved site by local body, for debris / construction waste.

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
	NA				

- 8. The consent is issued subject to direction issued by CPCB under section 18(1) (b) of Water (Prevention and Control of Pollution) Act, 1974, regarding classification of Industries dated 07th March 2016.
- 9. Operation of RMC plant shall be in daytime only. The Day time is reckoned in between 6 a.m. and 10 p.m. i.e. from sun rise to sunset.
- 10. The Board may make the standards stringent for the RMC/batching plants located within Corporation areas.
- 11. Captive plants shall carryout ambient air quality monitoring twice in a week for 24 hours.
- 12. The industry shall comply with the siting criteria as per RMC Notification dtd 16.10.2016.
- 13. The entire RMC Plant should be enclosed.
- 14. Industry shall provide covering at all the emission generating points.
- 15. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 16. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 17. The applicant shall obtain consent to Operate from Maharashtra pollution Control Board before actual commencement of the production activity.
- 18. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 19. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- 20. This consent is issued as per deligation of powers issued vide office order no. 12/2020 dtd 23/12/2020

- 21. The RMC plants where the norms are not followed and the technology is old (Star type) shall be discarded within 1 year. Existing RMC plant shall implement the suggested guidelines within a year. The renewal of Maharashtra Pollution Control Board's consent shall be considered only after implementation of new guidelines. The RMC's having valid consent of Maharashtra Pollution Control Board shall amend their consent in compliance with guideline within a year
- 22. Operation of RMC plant shall be in day time only. However in notified MIDC area, notified industrial parks, outside corporation area timing are not applicable. The Day time shall mean from 6 a.m. to 10 p.m.
- 23. The industry strictly follows the Guidelines for Ready Mix Concrete Plant (RMC) for sitting criteria of RMC Plant in the State of Maharashtra as per notification dated 7/11/2016.
- 24. This consent should not be construed as any exemption from obtaining necessary NOC from other Govt. agencies / local bodies as may deemed fit necessary.
- 25. Industry shall not carry out commercial production of RMC plant until obtaining consent to operate from the Board. The irrevocable BG of Rs. 100,000/- shall be submitted for compliance of the same



Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	5000.00	TXN2303004042	24/03/2023	Online Payment

### Copy to:

- 1. Regional Officer, MPCB, Mumbai
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai

#### **SCHEDULE-I**

### **Terms & conditions for compliance of Water Pollution Control:**

- 1. A] Industry shall provide comprehensive treatment plant for treatment of industrial waste water so as to achieve parameter of treated waste water as below
  - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
  - C] NA
  - D] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises
  - E] NA
- 2. A] Industry shall provide comprehensive treatment plant consisting of skeptic tank followed by soak pit. The soak pit shall be cleaned periodically and overflow shall be connected to MCGM sewer line to meet parameter of treated waste water as below
  - B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1B of schedule I.
- 3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	26.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

### **SCHEDULE-II**

## **Terms & conditions for compliance of Air Pollution Control:**

Not Applicable

### **SCHEDULE-III**

### **Details of Bank Guarantees:**

Sr. No		Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	consent to Establish	1,00,000	15 days	Not to operate plant prior to obtaining consent to operate from MPC Board		30.09.2028

### **BG** Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	BG
NA						

### **BG Return details**

Srno. Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
	N/	Α	

#### **SCHEDULE-IV**

### **General Conditions:**

- 1. The Energy source for lighting purpose shall preferably be LED based
- 2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 3. Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 4. The applicant shall maintain good housekeeping.
- 5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 10. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 11. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- 12. The PP shall provide personal protection equipment as per norms of Factory Act
- 13. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 14. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 15. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 16. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 17. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 18. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 19. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 20. The industry should not cause any nuisance in surrounding area.
- 21. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 22. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 23. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 24. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
- 25. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 26. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 27. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

- 28. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
- 29. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 30. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

This certificate is digitally & electronically signed.

