

Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environmental Single-Window Hub)



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Authorized Person RAVRIYA DEVELOPERS

Plot number 8A, Sector 18, Khanda Colony, Raigad, Maharashtra -410206

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/444169/2023 dated 30 Sep 2023. The particulars of the environmental clearance granted to the project are as below.

1281		THE RESERVE OF THE PARTY OF THE	4.00
1.	EC	Identification	No.

2. File No.

Project Type 3.

4. Category

- 5. Project/Activity including Schedule No.
- 6. Name of Project

EC24B038MH137197

SIA/MH/INFRA2/444169/2023

8(a) Building and Construction projects

Development "Neemann. –
PLOT NO.57B, SECTOR34A,KHARGHAR 410210, Navi Mumbai Proposed Residential cum Commercial

7. Name of Company/Organization

8. Location of Project MAHARASHTRA

RAVRIYA DEVELOPERS

TOR Date

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 06/02/2024

(e-signed) Pravin C. Darade, I.A.S. **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/444169/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s. Ravriya Developers, Plot No.57 B, Sector-34A, Kharghar, Navi Mumbai.

Subject: Environmental Clearance for Proposed Commercial cum Residential Development "Neelkanth Darshan" at Plot No.57 B, Sector-34A, Kharghar, Navi Mumbai by M/s. Ravriya Developers.

Reference: Application no. SIA/MH/INFRA2/444169/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 218th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 272nd (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 13th December, 2023.

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details			
1.	Proposal Number	SIA/MH/INFRA2/444169/2023			
2	Name of Project		tial cum Commercial Development		
3	Project category	8(a) Building and Construction, B (2)			
4	Type of Institution	Partnership			
5	Project Proponent	Name	Mr. NARAYAN RAGHAVJI RAVRIYA		
		Regd. Office address	Plot no 8A, sector 18, Khanda Colony, NAVI, Raigad, MAHARASHTRA, 410206		
		Contact number	9152557788		
6	Consultant	e-mail Neelkanthdarshan57b@gmail.com M/s. Kesari Infratech Pvt. Ltd. NABET/EIA/2023/IA0070- Valid till 12.10.2025			
7	Applied for	Fresh EC			
8	Location of the project	PLOT NO 57 B, SECTOR - 34 A, KHARGHAR, NAVI MUMBAI.			
9	Latitude and Longitude	Latitude: 19° 4'4.52"N, Longitude: 73° 5'3.07"E			
10	Plot Area (sq.m.)	2728.96 Sq. m.			

-			
2728.96			
1592.70			
15478.6			
(FSI Co			
13173.7			
+Non 28652.3	-4		
400			
nning 28652.3			
Total NA			
s per NA			
sq.m.)	100 mg		
lding	Reason for		
Height Build	Change		
(m) Nan			
NA 1	NA NA		
Commo	5		
cum	18		
Resider			
Buildin	(A)		
Bulletin			
E TOWN			
SERVE TO THE SERVE	A 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Reside			
No of f			
Comm			
Area -1			
Shops			
911	911		
CMD Domes			
Flushir	Flushing water: 42.2 KLD Gardening: 4.3 KLD Swimming pool make up: 18 KLD		
Garder			
Swimn			
Total v			
(UGT) UGI			
Total v	AD)		

	location	RWH Tank		70 CMD	
I		UG Flushing Tank		70 CMD	
		Fire Tank		200 CMD	
25	Source of water	NMMC			
26	STP Capacity & Technology	133.0 KLD MBI	BR		
27	STP Location	On ground			
28	Sewage Generation CMD & % of				
	sewage discharge in sewer line	KLD) to be discharged into s		sewer line	
29	Solid Waste Management during Construction Phase	type	Quantity (Kg/d)	Treatment / disposal	
		Dry waste	9	Channelized to NMMC Vendors	
		Wet waste	13	Channelized to NMMC Vendors	
		Construction waste	8000	Reuse on site & remaining handed over to vendors	
30	Total Solid Waste Quantities with type during Operation Phase &	Type	Quantity (Kg/d)	Treatment / disposal	
	Capacity of OWC to be installed	Dry waste	235.17	Channelized To NNMC	
		Wet waste	156.78	Treated in OWC of	
		Tr Whee	1 2 3 1	capacity 196 kg Channelized to Authorized	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E-Waste		vendor	
		STP Sludge (dry)		Dried and used as manure	
31	R.G. Area in sq.m.	RG required - 0	Sq.m	14 M 4	
		RG provided on Mother earth- 125 Sq.m RG provided on Podium- 436.614 Sq.m Total – 561.614 Sq.m			
-15	81g/k	Existing trees on plot: 0 Nos.			
	1 化二氢氯酚	Number of trees to be planted: 80			
		a) On ground floor:39			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Number of trees to be cut: 0			
	-74	Number of trees to be transplanted: 0			
32	Power requirement	During Operation Phase:			
		Details	· · ·	<u>.</u>	
		Connected load	i (kW)	1981 kW	
		Demand load (kW)	965 kW	
33	Energy Efficiency	a) Total Energy	saving (%): 23	
		b) Solar energy (%): 6.22			
34	D.G. set capacity	1 no. 500 kVA			
35	No. of 4-W & 2-W Parking with	2-W- Required 214, Proposed 214 nos.			
	25% EV	4-W- Required 118, Proposed 184 nos.			
36	No. & capacity of Rainwater	Total capacity - 70 cum (1 RWH tank)			

	harvesting tanks /Pits		_
37	Project Cost in (Cr.)	Rs. 130.7 Cr.	
38	EMP Cost	a) Construction phase: Rs. 71 lakhs/Annum. b) Operation Phase: 1. Capital Cost: Rs.169.07 lakhs, 2.0& M Cost: Rs. 17.18 lakhs/Annum.	
39	CER Details with justification if anyas per MoEF&CC circular dated 01/05/2018		
40	Details of Court Cases/litigations w.r.t the project and project location, if any.	Not Applicable	::

3. The proposal has been considered by SEIAA in its 272nd (Day-1) meeting held on 13th December, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1.PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing all required RG area is on mother earth as per Hon'ble Supreme Court order.
- 2.PP to obtain following updated NOCs & remarks:
- a) Water Supply; b) Sewer Connection; c) SWD remarks/NOC; d) Final CFO NOC;
- e) Tree NOC.
- 3.Planning authority to ensure that assured water supply, sewer and storm water drainage network is made available in the vicinity of the project before issuing occupation certificate to the project.
- 4.PP to submit architect certificate mentioning that there is no necessity to provide RG area to the proposed project as per the provision of clause no.3.4.1 (VI) -a & b of UDCPR, 2020.
- 5.PP to relocate 4-wheeler & 2-wheeler parking adjacent/in front of the DG set.
- 6.PP to provide dedicated 2-wheeler parking or rationalize 2-wheeler & 4-wheeler parking; PP to provide adequate 2-wheeler parking as per prevailing DCR & accordingly revise parking statement & layout with nos. parkings provided in each floor.
- 7.PP to revise water balance by deleting fresh as well as treated water shown for car washing & ensure that discharge of treated water from the project is up to 35%.
- 8.PP to revise retrieval time analysis at actual in case of disaster.
- 9.PP to relocate entry of the pump room of the STP proposed in driveway & revise STP layout accordingly.
- 10.PP to rearrange flushing tank & RWH tank such that flushing tank is adjacent to the STP.

11.PP to submit undertaking that they will follow guidelines of dust mitigation issued by planning authority.

B. SEIAA Conditions-

- PP submitted that, as per the provisions of UDCPR, RG is not applicable to their project as their plot area is less than 4000 m2. Local planning authority to ensure the compliance of the same.
- 2. This EC is restricted up to 97.60 m height only as per CFO NOC.
- 3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for-FSI-15,478.620 m2, Non FSI-13173.778 m2, total BUA- 28,652.398 m2. (Plan approval No- CIDCO/BP-18651/TPO(NM)/2023/4980 dated-01.09.2023)

General Conditions:

a) Construction Phase :-

- The solid waste generated should be properly collected and segregated. Dry/inert solid
 waste should be disposed of to the approved sites for land filling after recovering
 recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board,
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

X. The Energy Conservation Building code shall be strictly adhered to.

XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.

XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.

XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.

XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
Protection and Preservation of Trees Act, 1975 as amended during the validity of
Environment Clearance.

Environment Clearance.

XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.

XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.

XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to

- give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the

Environment department before start of any construction work at the site.

III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.

IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the

respective Zonal Office of CPCB and the SPCB.

V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered

separately on merit.

The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before TO SUPPLY AND A SUPPLY SUPPLY

starting proposed work at site.

In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

Validity of Environment Clearance: The environmental clearance accorded shall be valid

as per EIA Notification, 2006, amended from time to time.

The above stipulations would be enforced among others under the Water (Prevention and 8. Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade
(Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Raigad.
- 6. Commissioner, Panvel Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai

Signature Not Verified

Digitally signed by: Shr Pravin C.
Darade , I.A.S.
Designation: Member Secretary
Date and Time: 2/6/2024 11:56:32 AM

EC Identification No. - EC24B038MH137197 File No. - SIA/MH/INFRA2/444169/2023 Date of Issue EC - 06/02/2024 Page 11 of 1