



JIN SUNG Machinery Co., Ltd.

932-38, Naseon-Ro, SeonNam-Myun, GyeongSangBuk-Do, South of Korea
Tel : 82-54-931-8158/ Fax : 82-54-931-8157
Web Site: <http://www.jinsungfoam.co.kr>
E-mail : jinsungkorea@naver.com

PROFORMA INVOICE

Company : **Foamz Manufacturing (I) LLP.**
301, Mukhyadhyapak Bhawan, Plot 6/B, Road No. 24,
Sion Circle, Mumbai - 400 022, INDIA
TEL : 91 9867083653
Attn : Mr. Shailesh Jayawant

Date : 13-Mar-24
Offer No. : JS-PI240313-81
Page : 1 of 3 pages

No.	Description	Q'ty	Unit Price	Amount
-----	-------------	------	------------	--------

Currency : US Dollar(US\$)

1	Chemically Cross-linked PE Foam Sheet Production Line Model : No.JS-XPE 150	1 line	US\$900,000	US\$900,000
---	--	--------	-------------	-------------

A. Production Specifications

- 1) Extrusion Capacity : Max. 150kg/hr
- 2) Continuous Sheet Roll
- 3) Thickness : 3-15mm
- 4) Width : 600-1500mm
- 5) Density : 25-200kg/m³

B. Consisting Of following major units ;

*Compounding Line

1) Disperison Kneader	1 set
2) Bucket Elevator	1 set
3) Twin Feeder	1 set
4) D150mm Dia. Single Screw Extruder	1 set
5) Dies & Surface Cutter, Drier	1 set
6) Silo	3 sets

*Mother Sheet Extrusion Line

7) Mixer	1 set
8) D150mm Mother Sheet Extruder	1 set
9) Polishing roll Unit	1 set

Continuing to the next pages...

***Forming Oven & Down-Stream Line**

10) Sheet Forming Oven	1 set		
11) Cooling Roller Unit	1 set		
12) Cooling Guide Roller Unit	1 set		
13) Take - up & Side Cutting Unit	1 set		
14) Length Cutting Unit	1 set		
15) Winding Unit	1 set		
2 XLPE Foam Sheet Pipe Forming Machine (One Station) Model : No.JS-XLPE PF	1 line	US\$33,000	US\$33,000
3 XLPE Foam Sheet to Film Lami(Embossing) Machine Model : No.JS-XLPE - EM	1 line	US\$32,000	US\$32,000
* Add Embossing(Knurling) Roller for Different Pattern	2 Rollers	US\$6,000	US\$12,000
4 XLPE Foam Sheet to Sheet Bonding Machine Model : No.JS-XLPE - SB	1 line	US\$30,000	US\$30,000
5 XLPE Foam Sheet Slitting Machine Model : No.JS-XLPE - S	1 line	US\$16,000	US\$16,000
6 XLPE Foam Sheet Press Cutting Machine Model : No.JS-XLPE - PC	1 line	US\$52,000	US\$52,000
* Include One Set Kinfe Mould			
7 XLPE Foam Sheet Thermoforming Machine Model : No.JS-XLPE - TF	1 line	US\$215,000	US\$215,000
* Include One Set Mould			

Total F.O.B. Busan Port, Korea

US\$1,290,000

General Terms and Conditions

1. The prices are quoted on FOB basis.

Continuing to the next pages....

2. Origin : Republic Of Korea
3. Inspection : Supplier's inspection shall be considered as final.
4. Delivery : One Fifty (150) days after the downpayment.
5. Packaging : Packaged wooden pallets and then loaded into containers.
6. Payment : 20% by Downpayment
75% of total amount by an irrevocable L/C at sight in favor of JIN SUNG Machinery Co., Ltd.
5% of total amount by L/C after installation and commissioning at buyer's factory.
7. Bank Referenc : Bank Name: Industrial Bank of Korea (DaSa Branch)
Account No. : 637-006266-56-00014
Bank Address: 1546-15, MaeGok-Ri, Dasa-Eup, Dalseong-Gun, Daegu, S.Korea
Tel.: +82-53-593-6780
Beneficiary: JINSUNG Machinery Co.,Ltd.
SWIFT CODE: IBKOKRSE
8. Validity : 50 days from above issuing date.
9. Remarks : 1. Warrantee Term ; 1 year from the installation date.
2. Installation & test-run will be performed at buyer's factory by the supplier.
3. During a period of installation & test-run time, the round air tickets and accommodations for workers who are sent to buyer's factory will be on buyer's account. * The peroid is One Month *
4. As per request by buyer that stay more for training, the extra charge is US\$ 500 / one day/ one person

We trust the above price is competitive and look forward towards receiving your positive reply.

Your Faithfully,

JIN SUNG MACHINERY CO., LTD.

J. S Rho

PRESIDENT / JUNG SUN RHO

JIN SUNG Machinery Co., Ltd.



JIN SUNG Machinery Co.,Ltd.

932-38, Naseon-Ro, SeonNam-Myun, SeongJoo-Gun, GyeongSangBuk-Do, KOREA

TEL : 82 54 931 8158 / FAX : 82 54 931 8157

www.jinsungfoam.co.kr

CONFIRMATION LETTER

Date : 2024.03.15

We confirm that we have received the Advance of USD 258,000 for Date on Dec. 2021. That amount is 20% of the total contract amount.

Refer PI No. : JS-PI240313-81

Total Contract Amount : USD1,290,000

Contract Description

- a. Chemically Cross-linked PE Foam Sheet Production Line
- b. XLPE Foam Sheet Pipe Forming Machine (One Station)
- c. XLPE Foam Sheet to Film Lami(Embossing) Machine
- d. XLPE Foam Sheet to Sheet Bonding Machine
- e. XLPE Foam Sheet Slitting Machine
- f. XLPE Foam Sheet Press Cutting Machine
- g. XLPE Foam Sheet Thermoforming Machine

JIN SUNG MACHINERY CO., LTD.

J. S Rho

PRESIDENT / JUNG SUN RHO

JINSUNG MACHINERY CO.,LTD.

Ref ATS 050-CORR-2024-25

Date - 12-01-2025.

To,

FOAMZ MANUFACTURING LLP.
301, Mukhyadhyapak Bhavan.
Plot no 6-B, Road no 24, Sion.
Mumbai - 400 022.

Subject


Quotation for Server system & Softwares.

Sir,

Thanks for your interest in **ASIAN TECHNOLOGIES**. In response to your recent inquiry, we are pleased to submit our best quote for the above mentioned subject, details attached in below specification.

Quote No.	Amount (Rs.)	GST (18%)	Total Amount (Rs.)
ATS 038-SALES-2024-25	Rs. 1,97,850/-	Rs. 35,613/-	Rs. 2,33,463/-
ATS 039-SALES-2024-25	Rs. 1,21,850/-	Rs. 33,705/-	Rs. 2,20,955/-
ATS 041-SALES-2024-25	Rs. 5,40,000/-	Rs. 97,200/-	Rs. 6,37,200/-
ATS 043-SALES-2024-25	Rs. 2,25,000/-	Rs. 40,500/-	Rs. 2,65,500/-
ATS 044-SALES-2024-25	Rs. 67,500/-	Rs. 12,150/-	Rs. 79,650/-
ATS 047-SALES-2024-25	Rs. 15,900/-	Rs. 2,862/-	Rs. 18,762/-
Grand Total	Rs. 11,68,100/-	Rs. 2,22,030/-	Rs. 14, 55,530/-

For **ASIAN TECHNOLOGIES**.



VRUJESH PULEKAR

Quotations



swati
construction co.

Bhargav Masurkar & Cos (since 1960)

301, Mukhyadhyapak Bhavan, Plot No. 6-B, Road No 24, Near Gurukripa Hotel, Sion West, Mumbai - 400022 Tel:24043129, Telefax: 24071216. Email : swaticonstructionco1960@gmail.com & swaticonstruction 01@yahoo.co.in

To,
Foamz Manufacturing (India) LLP
301, Mukhyadhyapak Bhavan,
Plot No. 6-B, Road No. 24, Sion Circle
Mumbai- 400 022

Date:	10-01-2025
Quotation No.-	SCC/2024-25/04

Kind Attention: Mr. Shailesh Jayawant
Sub:- PALLET RACKING SYSTEM FOR FOAMZ

Dear Sir,
You're welcome to Swati Construction Co. As per your requirement For Slotted Angle Racks, We are pleased to submit you the quotation for your favourable consideration and approval.

Particulars		HSN Code	Quantity		Rate	Value Rs.
A	MAIN MODEL Medium Duty Rack of size 6000 mm. H x 2400 mm. W (I/I) x 1200 mm D (O/O) with 6 levels in Galvanised deck panel - Loading capacity 300 Kg . per level UDL.	9403	21	Nos.	33,150.00	6,96,150.00
B	ADDON MODEL Medium Duty Rack of size 6000 mm. H x 2400 mm. W (I/I) x 1200 mm D (O/O) with 6 levels in Galvanised deck panel - Loading capacity 300 Kg . per level UDL.	9403	100	Nos.	30,000.00	30,00,000.00
1	Tie Connector 1500mm.	9403	21	Nos.	738.00	15,498.00
	Powder Coating - Blue Colour Upright 55 mm x 47 mm x 1.6 mm.					
	Powder Coating - Orange Colour Load Beam 80 mm x 40 mm x 1.6 mm.					
	Powder Coating - Blue Colour Horizontal & Cross Bracing 25 x 25 x 1.6mm.					
	Galvanised - Deck Panel 200 mm. x 1200 mm x 0.8 mm.					

Amount: Forty Three Lakh Seventy Nine Thousand Seven Hundred Forty Five Only.

Net Amount	37,11,648.00
------------	--------------

PLEASE NOTE: For Un-Loading of materials, Labour Union / Varai / Mathadi charges payable at your end.

Transport Charges	Free
-------------------	------

TERMS & CONDITIONS

PAYMENT: 50% Advance & balance at the time of delivery

TAX: GST@ 18% Extra

PRICE TERMS:- OUR PRICE IS VALID FOR 120 DAYS

Taxable Amount	37,11,648.00
----------------	--------------

GST @ 18%	6,68,097.00
-----------	-------------

Total Amount	43,79,745.00
--------------	--------------

For Swati Construction Co

S. B. Jayawant
Authorised Signatory

SHREE PRASAD ELECTRICALS**Govt. Licensed Electrical Contractors**

Unit No.02, Khot House, Behind Sarvoday Niketan, M.N Road, Kurla (W), Mumbai 400 070.

e-mail : shreeprasadelectricals@gmail.com / sshriniwas21@rediffmail.com

Tel : 7718800826 / 8104620726

PROPOSED FOAMZ MANUFACTURING(I) LLP PROJECT AT MAHAD**Client :- FOAMZ MANUFACTURING(I) LLP,SION, MUMBAI****ELECTRICAL & ALLIED WORKS ESTIMATE**

DATE: 13.01.2025

BILL OF QUANTITIES FOR ELECTRICAL & ALLIED WORKS**SUMMARY OF ESTIMATED COST OF ELECTRICAL & ALLIED WORKS**

SEC.	DESCRIPTION OF ITEM	OUTDOOR AREA		TOTAL
		AMOUNT (Rs.)	AMOUNT (Rs.)	AMOUNT (Rs.)
I	INTERNAL & EXTERNAL ELECTRICAL WORKS			
A	SUB MAIN LT PANELS / DBS	Rs. 24,80,390.00		24,80,390.00
B	HT / LT CABLE WORKS (INTERNAL / EXTERNAL)	Rs. 50,04,895.00		50,04,895.00
C	EARTHING (DEDICATED / GENERAL EARTHING)	Rs. 5,07,125.00		5,07,125.00
D	INTERNAL LIGHTING & POWER WIRING	Rs. 2,10,050.00		2,10,050.00
E	TRENCHING / UNDER FLOOR -RACEWAYS / CABLE TRAYS (INTERNAL & EXTERNAL)	Rs. 10,51,700.00		10,51,700.00
F	LIGHTENING ARRESTOR WORK	Rs. 1,75,000.00		1,75,000.00
G	MISCELLANEOUS WORKS (INCLUDING ELECTRICAL INSPECTION CHAMBER CIVIL WORKS)	Rs. 5,55,000.00		5,55,000.00
	TOTAL of SECTION - (I)	Rs. 99,84,160.00		99,84,160.00
II	DATA & VOICE NETWORKING			
A	DATA / COMPUTER NETWORKING	Rs. 82,700.00		82,700.00
B	VOICE / TELEPHONE NETWORKING	Rs. 17,860.00		17,860.00
	TOTAL of SECTION - (II)	Rs. 1,00,560.00	0.00	1,00,560.00
III	INDOOR LIGHTING FIXTURES			
A	SUPPLY & INSTALLATION OF INTERNAL AREA LIGHTING FIXTURES	Rs. 3,13,400.00		3,13,400.00
	TOTAL of SECTION - (III)	Rs. 3,13,400.00	0.00	3,13,400.00
IV	OUTDOOR LIGHTIN FIXTURES			

A	SUPPLY & INSTALLATION OF OUTDOOR AREA LIGHTING FIXTURES	Rs.		1,00,000.00	1,00,000.00
	TOTAL of SECTION - (IV)	Rs.	0.00	1,00,000.00	1,00,000.00
	TOTAL of SECTION - (I TO IV)	Rs.	1,03,98,120.00	1,00,000.00	1,04,98,120.00
V	ADD TAXES EXTRA AS APPLICABLE				
	ADD CGST 9%	Rs.	9,35,830.80	9,000.00	9,44,830.80
	ADD SGST 9%	Rs.	9,35,830.80	9,000.00	9,44,830.80
	ROUNDED(+/-)	Rs.	0.40		0.40
	GRAND TOTAL of SECTION - (I to V)	Rs.	1,22,69,782.00	1,18,000.00	1,23,87,782.00

NOTE :-

- 1 Above Estimate is only approximate & may vary as per the final approved interior layout plans & client requirements.
- 2 Sizes & Specifications of Panels & Switchgears from Section - A may vary as per clients final approval of power distribution.
- 3 Lengths of cables / wires from Section-B & other sections may vary as per the approved locations of Panel & DB's on site.
- 4 All the Light fittings shall be approved from Client/Architect.
- 5 Main Electrical LT Panel's Fabrication drawings shall be approved from the Consultant / Client before starting fabrication of the same at factory & all the required Panel Test reports shall be submitted with the Delivery of Panel at site. Failing to these conditions Client / Consultant reserves the right to reject the Panel without assigning any reason thereof.
- 6 All Contractors shall have to arrange Temporary Electrical Power Supply arrangements & Water of their own during progress of work / project & shall not be paid any extra charges for the same.
- 7 Submission of Handover documents is necessary for Certification of Final Bill. In case of failure to submit the same Client / Consultant / Architect reserves right not to certify the final bill without submission of Handover Documents alongwith the Final Bill.
- 8 Running Bill will be certified only against the tender items executed at site at the time of billing & not against the material supplied at site which are not installed during certification of running bill.
- 9 As built drawings of the services shall be submitted alongwith each Running Bill only as applicable for the works completed during that particular stage. And Final set of As built drawings shall be submitted alongwith Final Hand Over Documents as per conditions of contract.
- 10 Contactor shall quote rates including all necessary climbing arrangements, loading-unloading & handling charges as required time to time to carry out the required Electrical & Allied Works installation at site & no claim for the same will be entertained & will not be paid extra.
- 11 Contactor shall visit the site & get familiar with the site conditions & requirements before quoting tender item rates & any extra work claim against any tender item will not be entertained in execution stage.

BILL OF QUANTITIES FOR ELECTRICAL & ALLIED WORKS

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
1	INTERNAL & EXTERNAL ELECTRICAL WORKS				
A	MAIN LT PANEL / DB'S				
1	Supply, installation, testing & commissioning of 800A, 36KA, FP, MCCB, with all standard accessories in MS fabricated enclosure. It should have termination box for appropriate size of cables on both the sides. WITH ALL STANDARD ACCESSORIES IN MS ENCLOSURE on required size MS angle iron frame if required duly painted with cable end boxes, earthing, name plate danger board fixing accessories etc. as approved by client / consultant.	2	Nos	1,05,000.00	2,10,000.00
2	Supply, installation, testing & commissioning of 160A, 36KA, FP, MCCB, with all standard accessories in MS fabricated enclosure. It should have termination box for appropriate size of cables on both the sides. WITH ALL STANDARD ACCESSORIES IN MS ENCLOSURE on required size MS angle iron frame if required duly painted with cable end boxes, earthing, name plate danger board fixing accessories etc. as approved by client / consultant.	1	Nos	35,000.00	35,000.00
3	Supply of Main LT panel, floor / wall mounted as approved, front operated, dead back, totally enclosed vermin proof, indoor, non-drawout, cubicle type power dist. panel fabricated out of 2mm thick CRCA sheet having gasketed hinged door on each cubicle, fully powder coated / enamel painted after seven tank treatment, incorporating horizontal and vertical sleeved copper / aluminium busbars as required / approved 'complete with all internal wiring, danger board, two earthing lugs, cable chamber etc. as required 'housing below mentioned switchgears. Panel to be installed at min. 6" / 8" / as required / approved above floor on MS stand or frame with required anchor fasteners, nuts, bolts etc.				
	Note :- GA & Control Drawing of the panel shall be approved by the consultant before fabrication. (Panel shall be manufactured from CPRI & ISO 9001 : 2008 approved manufacturer only.) All test certificates for Panel shall be submitted alongwith the delivery of Panel at site.				
	(MAIN ELECTRICAL LT PANEL)				
	Incomings :-				
	1 no's of 800A, 415V, 50Hz, 36/50 KA, FP MCCB complete with neutral & accessories as incomer with O/L, E/F, S/C protections				
	1 no. 4P Voltage Surge Protector / Arrestor including LED indicators alongwith necessary accessories.				
	Outgoings :-				
	2 nos., 400A, 415V 50Hz FP MCCB complete with neutral & accessories as incomer with O/L, E/F, S/C protections				
	4 nos., 160A, 415V 50Hz FP MCCB complete with neutral & accessories as incomer with O/L, E/F, S/C protections				
	18 Nos., 63/40A, TPN, MCB as outgoing for LDB + RPDB				
	3 Nos., 40/32/25A, DP, MCB as outgoing (Spare - 3 nos.)				
	1 Set of 415V, 800A, 50kA, TPN Aluminium busbar with PVC sleeving & accessories				
	Metering :-				
	1 No. Multi Function Meter with RS 485 port indicating Pf, KW, KVA, KVAR with class A CT- 1 no				
	1 Set, RYB, indicating lamps with resistors and fuses				
	1 Set, ON/OFF/TRIP, indicating lamps with resistors and fuses				
	Full Set as above	1	Nos	6,55,000.00	6,55,000.00
	Installation, Testing Commissioning, Loading, Unloading & Overheads of full set as above.	1	Nos	50,000.00	50,000.00
4	Supply of Main LT panel, floor / wall mounted as approved, front operated, dead back, totally enclosed vermin proof, indoor, non-drawout, cubicle type power dist. panel fabricated out of 2mm thick CRCA sheet having gasketed hinged door on each cubicle, fully powder coated / enamel painted after seven tank treatment, incorporating horizontal and vertical sleeved copper / aluminium busbars as required / approved 'complete with all internal wiring, danger board, two earthing lugs, cable chamber etc. as required 'housing below mentioned switchgears. Panel to be installed at min. 6" / 8" / as required / approved above floor on MS stand or frame with required anchor fasteners, nuts, bolts etc.				
	Note :- GA & Control Drawing of the panel shall be approved by the consultant before fabrication. (Panel shall be manufactured from CPRI & ISO 9001 : 2008 approved manufacturer only.) All test certificates for Panel shall be submitted alongwith the delivery of Panel at site.				
	(MAIN ELECTRICAL LT PANEL)				
	Incomings :-				
	1 no's of 160A, 415V, 50Hz, 36/50 KA, FP MCCB complete with neutral & accessories as incomer with O/L, E/F, S/C protections				
	1 no. 4P Voltage Surge Protector / Arrestor including LED indicators alongwith necessary accessories.				
	Outgoings :-				

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
	3 nos., 63A, 415V 50Hz FP MCCB complete with neutral & accessories as incomer with O/L, E/F, S/C protections				
	6 Nos., 63/40A, TPN, MCB as outgoing				
	3 Nos., 40/32/25A, DP, MCB as outgoing (Spare - 3 nos.)				
	1 Set of 415V, 200A, 50kA, TPN Aluminium busbar with PVC sleeving & accessories				
	Metering :-				
	1 No. Multi Function Meter with RS 485 port indicating Pf, KW, KVA, KVAR with class A CT- 1 no				
	1 Set, RYB, indicating lamps with resistors and fuses				
	1 Set, ON/OFF/TRIP, indicating lamps with resistors and fuses				
	Full Set as above	1	Nos	2,75,000.00	2,75,000.00
	Installation, Testing Commissioning, Loading, Unloading & Overheads of full set as above.	1	Nos	40,000.00	40,000.00
5	APFC PANEL WITH CAPACITOR BANK - 195 kVAR to maintain the power factor automatically within limits (nearer to unity) as specified by supply authority, comprising bank of light weight & compact size, MPP type, long life duty PFC Capacitors, to be controlled in steps as shown in SLD, controlled in auto/manual mode, Capacitor Bank with Auto Power Factor Correction Panels (APFC) complete in all respects including selector switches, LED phase Indicators for each set of capacitors, Power Factor Controller with display like V,A,kW,kVAR,kVA. p.f. etc; APFC Relays. Auto manual switch, fuses, contactors, Meters with RS 485 ports for BMS connection, panel board internal wiring etc. complete in all respect as per clients/consultants approval.	1	Nos	4,15,000.00	4,15,000.00
6	Suply and installation of 4-way, VTPN, Double door, (MCCB DB) Power Distribution Board , having vertical fishbone busbar type, factory assembled wall mounted, sheet metal fabricated, fully powder coated, having dust proof & vermin proof hinged door with all internals such as DIN channels, neutral link, internal wiring complete with double earthing lugs including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, etc. housing following switchgears. (Schneider / Hager / Legrand / Siemens / L&T make)				
a	INCOMER				
	1 No. 63A, FP, 36kA / 25kA, MCCB with Thermal Magnetic release, of approved make with over load (O/L), short circuit (S/C) & Earth Fault (E/F) protection. The Breaker shall be suitable for 415 Volts 50 Hz., AC supply. The breaker shall have breaking capacity of 36kA / 25kA for 1 Sec: as required. (Schneider / Hager / Legrand / Siemens / L&T make)				
b	OUTGOING				
	3 Nos., 25/32A, TP, MCB, "C" curve type as outgoing				
	3 Nos., 20/25/32A, SP, MCB, "C" curve type as outgoing				
	Full Set as above	1	Nos	25,900.00	25,900.00
7	Suply and installation of 8-way, VTPN, Double door, (MCCB DB) Power Distribution Board , having vertical fishbone busbar type, factory assembled wall mounted, sheet metal fabricated, fully powder coated, having dust proof & vermin proof hinged door with all internals such as DIN channels, neutral link, internal wiring complete with double earthing lugs including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, etc. housing following switchgears. (Schneider / Hager / Legrand / Siemens / L&T make)				
a	INCOMER				
	1 No. 63A, FP, 36kA / 25kA, MCCB with Thermal Magnetic release, of approved make with over load (O/L), short circuit (S/C) & Earth Fault (E/F) protection. The Breaker shall be suitable for 415 Volts 50 Hz., AC supply. The breaker shall have breaking capacity of 36kA / 25kA for 1 Sec. as required. (Schneider / Hager / Legrand / Siemens / L&T make)				
b	OUTGOING				
	6 Nos., 25/32A, TP, MCB, "C" curve type as outgoing				
	6 Nos., 20/25/32A, SP, MCB, "C" curve type as outgoing				
	Full Set as above	1	Nos	40,450.00	40,450.00

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
8	Supply and installation of 8-way, VTPN, Double door, (MCCB DB) HVAC Power Distribution Board, having vertical fishbone busbar type, factory assembled wall mounted, sheet metal fabricated, fully powder coated, having dust proof & vermin proof hinged door with all internals such as DIN channels, neutral link, internal wiring complete with double earthing lugs including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, etc. housing following switchgears (Schneider / Hager / Legrand / Siemens / L&T make)				
a	INCOMER				
	1 No. 100A, FP, 36kA / 25kA, MCCB with Thermal Magnetic release, of approved make with over load (O/L), short circuit (S/C) & Earth Fault (E/F) protection. The Breaker shall be suitable for 415 Volts 50 Hz., AC supply. The breaker shall have breaking capacity of 36kA / 25kA for 1 Sec. as required (Schneider / Hager / Legrand / Siemens / L&T make)				
b	OUTGOING				
	24 Nos., 20/25A, SP, MCB, "C" curve type as outgoing				
	Full Set as above	1	Nos	30,215.00	30,215.00
9	Supply and installation of 12-way, VTPN, Double door, (MCCB DB) Power Distribution Board, having vertical fishbone busbar type, factory assembled wall mounted, sheet metal fabricated, fully powder coated, having dust proof & vermin proof hinged door with all internals such as DIN channels, neutral link, internal wiring complete with double earthing lugs including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, etc. housing following switchgears. (Schneider / Hager / Legrand / Siemens / L&T make)				
a	INCOMER				
	1 No. 63A, FP, 36kA / 25kA, MCCB with Thermal Magnetic release, of approved make with over load (O/L), short circuit (S/C) & Earth Fault (E/F) protection. The Breaker shall be suitable for 415 Volts 50 Hz., AC supply. The breaker shall have breaking capacity of 36kA / 25kA for 1 Sec. as required. (Schneider / Hager / Legrand / Siemens / L&T make)				
b	OUTGOING				
	9 Nos., 25/32A, TP, MCB, "C" curve type as outgoing				
	9 Nos., 20/25/32A, SP, MCB, "C" curve type as outgoing				
	Full Set as above	1	Nos	42,100.00	42,100.00
10	Supply and installation of 12-way, VTPN, Double door, (MCCB DB) Power Distribution Board, having vertical fishbone busbar type, factory assembled wall mounted, sheet metal fabricated, fully powder coated, having dust proof & vermin proof hinged door with all internals such as DIN channels, neutral link, internal wiring complete with double earthing lugs including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, etc. housing following switchgears. (Schneider / Hager / Legrand / Siemens / L&T make)				
a	INCOMER				
	1 No. 63A, FP, 36kA / 25kA, MCCB with Thermal Magnetic release, of approved make with over load (O/L), short circuit (S/C) & Earth Fault (E/F) protection. The Breaker shall be suitable for 415 Volts 50 Hz., AC supply. The breaker shall have breaking capacity of 36kA / 25kA for 1 Sec. as required. (Schneider / Hager / Legrand / Siemens / L&T make)				
b	OUTGOING				
	12 Nos., 16/20A, TP, MCB, "C" curve type as outgoing				
	Full Set as above	1	Nos	42,100.00	42,100.00
11	Supply and installation of 6-way, PPI TPN, Double Door, Metal type, with Plain / Transperant Door (As approved by client / consultant / architect), Lighting Distribution Board (LDB), surface / flush mounted on wall, interconnected wiring complete with earthing lugs, including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, blank plates, etc. housing following switchgears : (Schneider / Hager / Siemens / Legrand make as approved by client / consultant)				
	(Note :- DB size & type selection shall be done with reference to the total number of modules / poles available in the DB which shall be suitable for housing of below mentioned switchgears & components forming a complete set.)				
a	1 no., 40A, FP MCB, "C" curve type as incomer				
b	3 no.s, 25A, DP RCCB / ELCB with sensitivity of 300mA, as sub-incomer.				
c	15 nos, 10/16A, SP, MCB, "C" curve type as outgoing + 3 no.s 1M-RYB indicators / lamps each.				

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
	Full Set as above	1	Nos	18,900.00	18,900.00
12	Suply and installation of 8-way, PPI TPN, Double Door, Metal type, with Plain / Transperant Door (As approved by client / consultant / architect), Outdoor Lighting Distribution Board (LDB), surface / flush mounted on wall, interconnected wiring complete with earthing lugs, including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, blank plates, etc. housing following switchgears : (Schneider / Hager / Siemens / Legrand make as approved by client / consultant)				
	(Note :- DB size & type selection shall be done with reference to the total number of modules / poles available in the DB which shall be suitable for housing of below mentioned switchgears & components forming a complete set.)				
a	1 no., 40A, FP MCB, "C" curve type as incomer				
b	3 no.s, 25A, DP RCCB / ELCB with sensitivity of 100mA, as sub-incomer.				
c	21 nos, 10/16A, SP, MCB, "C" curve type as outgoing + 3 no.s 1M-RYB indicators / lamps each.				
	Full Set as above	1	Nos	28,000.00	28,000.00
13	Suply and installation of 12-way, PPI TPN, Double Door, Metal type, with Plain / Transperant Door (As approved by client / consultant / architect), Outdoor Lighting Distribution Board (LDB), surface / flush mounted on wall, interconnected wiring complete with earthing lugs, including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, blank plates, etc. housing following switchgears : (Schneider / Hager / Siemens / Legrand make as approved by client / consultant)				
	(Note :- DB size & type selection shall be done with reference to the total number of modules / poles available in the DB which shall be suitable for housing of below mentioned switchgears & components forming a complete set.)				
a	1 no., 40A, FP MCB, "C" curve type as incomer				
b	3 no.s, 25A, DP RCCB / ELCB with sensitivity of 100mA, as sub-incomer.				
c	36 nos, 10/16A, SP, MCB, "C" curve type as outgoing + 3 no.s 1M-RYB indicators / lamps each.				
	Full Set as above	1	Nos	36,000.00	36,000.00
14	Suply and installation of 6-way, TPN, Double Door, Metal type, with Plain / Transperant Door (As approved by client / consultant / architect), surface / flush mounted on wall, interconnected wiring complete with earthing lugs, including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, blank plates, etc. housing following switchgears : (Schneider / Hager / Siemens / Legrand make as approved by client / consultant)				
	(Note :- DB size & type selection shall be done with reference to the total number of modules / poles available in the DB which shall be suitable for housing of below mentioned switchgears & components forming a complete set.)				
a	1 no., 60/40A, FP MCB, "C" curve type as incomer				
b	15 nos, 16/25A, SP, MCB, "C" curve type as outgoing + 3 no.s 1M-RYB indicators / lamps each.				
	Full Set as above	1	Nos	22,000.00	22,000.00
15	Suply and installation of 12-way, SPN, Double Door, Metal type, with Plain / Transperant Door (As approved by client / consultant / architect), (UPSPDB), surface / flush mounted on wall, interconnected wiring complete with earthing lugs, including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, blank plates, etc. housing following switchgears : (Schneider / Hager / Siemens / Legrand make as approved by client / consultant)				
a	1 no., 63/40A, DP MCB as incomer				
b	10 nos, 16/20/25A, SP, MCB, "D" curve type as outgoing				
	Full Set as above	1	Nos	7,000.00	7,000.00
16	Suply and installation of 8-way, SPN, Double Door, Metal type, with Plain / Transperant Door (As approved by client / consultant / architect), (UPS PDB), surface / flush mounted on wall, interconnected wiring complete with earthing lugs, including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, blank plates, etc. housing following switchgears : (Schneider / Hager / Siemens / Legrand make as approved by client / consultant)				

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
a	1 no., 25/32A, DP RCBO, 100mA type as incomer				
b	6 nos, 16/20/25A, SP, MCB, "D" curve type as outgoing				
	Full Set as above	1	Nos	6,225.00	6,225.00
17	Supply and installation of 8-way, SPN, Double Door, Metal type, with Plain / Transparent Door (As approved by client / consultant / architect), (LDB+RPDB), surface / flush mounted on wall, interconnected wiring complete with earthing lugs, including DB wiring dressing with ferruling, termination of circuits with ping type copper lugs, blank plates, etc. housing following switchgears : (Schneider / Hager / Siemens / Legrand make as approved by client / consultant)				
a	1 no., 25/32A, DP RCBO, 100mA type as incomer				
b	6 nos, 16/20/25A, SP, MCB, "C" curve type as outgoing				
	Full Set as above	1	Nos	5,800.00	5,800.00
18	Supply & Installation of following with Enclosure for terminating supply to machines alongwith all necessary hardware & accessories, etc. complete as required. (Legrand / Schneider / Hager / Siemens / L&T make)				
18.1	40/63A, TPN, MCB with RYB Indicator Lamps in IP42 Metal boards enclosure	8	Nos	4,000.00	32,000.00
18.2	40/63A, TPN, MCB in IP42 Metal boards enclosure	10	Nos	3,200.00	32,000.00
18.3	63A, DP, MCB in IP42 Metal boards enclosure	4	Nos	1,800.00	7,200.00
18.4	16/25A/32A, DP, MCB in IP42 Metal boards enclosure	3	Nos	1,500.00	4,500.00
18.5	16/25A/32A, TPN, MCB in IP42 Metal boards enclosure	2	Nos	2,800.00	5,600.00
18.6	16/20A Reyrol Plug & Socket with 20A SP MCB 'C' curve in IP42 Metal boards enclosure.	20	Nos	2,500.00	50,000.00
18.7	16/20A, 3P Plug & Socket with IP42 Metal boards Enclosure of approved Make	12	Nos	3,200.00	38,400.00
18.8	16/20A, 3P+E+N, Interlockable Plug & Socket with IP42 Metal boards Enclosure of approved Make	6	Nos	1,850.00	11,100.00
19	Supply & Installation of following with Enclosure for terminating supply to machines alongwith all necessary hardware & accessories, etc. complete as required. (Legrand / Schneider / Hager / Siemens / L&T make)				
19.1	25/32A, 4P, RCBO, 300mA in IP55 Metal boards enclosure	8	Nos	4,000.00	32,000.00
19.2	40/63A, 4P, RCBO, 300mA in IP55 Metal boards enclosure	12	Nos	4,800.00	57,600.00
20	Supply & Installation of timer switch for outdoor lighting DB, signage, A.C., etc. alongwith IP53 enclosure box including all necessary hardware & accessories, etc. complete as required.	1	Nos	25,000.00	25,000.00
21	Supply & Installation of 32A, 3-Phase Direct On Line (DOL) Starter for motor / machine with enclosure box including all necessary hardware & accessories, etc. complete as required.	12	Nos	9,500.00	1,14,000.00
22	Supply & Installation of 63A, 3-Phase Direct On Line (DOL) Starter for motor / machine with enclosure box including all necessary hardware & accessories, etc. complete as required.	6	Nos	12,500.00	75,000.00
23	Providing & fixing M.V. danger plate of 200 mm x 150 mm, made of mild steel, at least 2 mm thick, & vitreous enamelled white on both sides, & with inscription in single red colour on front side as required.	2	Each	750.00	1,500.00
24	Supplying & shock treatment / restoration with Artificial respiration charts written in Hindi and English duly framed and covered with 2.8mm glass as required.	2	Nos	1,250.00	2,500.00
25	Supply & fixing of standard first aid box with necessary antiseptic cream, medicine for use on wounds due burn, crepe bandage, guage bandage, medicated ready to use bandage (Band aid) adhesive tape for medicinal use, scissors, antiseptic solution (Savlon or similar)etc. (All above contents shall be of standard makes.)	2	Nos	1,250.00	2,500.00
26	Supplying & laying rubber matting of 6 mm thickness as per IS:5424 and of required length and breadth with good insulation property for 11 kV in Electrical Room / Near Electrical Panel & DB's, etc. as required.	4	Sq.mtr	1,200.00	4,800.00
TOTAL of SECTION (A)					24,80,390.00
B	LT CABLE WORKS (INTERNAL / EXTERNAL)				
1	Supply & of 1100V grade armoured cable having sector / circular shaped aluminium / copper conductor PVC insulated cores, in the following sizes :				
1.1	3 1/2 C x 400 Sq.mm Aluminium	100	Mtrs	2,700.00	2,70,000.00
1.2	3 1/2 C x 300 Sq.mm Aluminium	1250	Mtrs	1,910.00	23,87,500.00
1.3	3 1/2 C x 240 Sq.mm Aluminium	0	Mtrs	1,700.00	0.00
1.4	3 1/2 C x 185 Sq.mm Aluminium	180	Mtrs	1,030.00	1,85,400.00

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
1.5	3 1/2 C x 150 Sq.mm Aluminium	185	Mtrs	815.00	
1.6	3 1/2 C x 120 Sq.mm Aluminium	160	Mtrs	695.00	1,50,775.00
1.7	3 1/2 C x 95 Sq.mm Aluminium	0	Mtrs	512.00	1,11,200.00
1.8	3 1/2 C x 70 Sq.mm Aluminium	168	Mtrs	475.00	0.00
1.9	3 1/2 C x 50 Sq.mm Aluminium	25	Mtrs	450.00	79,800.00
1.10	3 1/2 C x 35 Sq.mm Aluminium	45	Mtrs	425.00	11,250.00
1.11	3 1/2 C x 25 Sq.mm Aluminium	12	Mtrs	385.00	19,125.00
1.12	4C x 16 Sq.mm Aluminium	350	Mtrs	315.00	4,620.00
1.13	4C x 10 Sq.mm Aluminium	0	Mtrs	215.00	1,10,250.00
1.14	4C x 16 Sq mm Copper	0	Mtrs	1,286.00	0.00
1.15	4C x 10 Sq mm Copper	0	Mtrs	835.00	2,92,250.00
1.16	4C x 6 Sq.mm Copper	350	Mtrs	515.00	1,80,250.00
1.17	4C x 4 Sq.mm Copper	350	Mtrs	365.00	1,04,025.00
1.18	3C x 6 Sq.mm Copper	285	Mtrs	375.00	54,375.00
1.19	3C x 4 Sq.mm Copper	145	Mtrs	275.00	61,875.00
1.20	3C x 2.5 Sq.mm Copper	225	Mtrs	195.00	1,95,000.00
1.21	3C x 1.5 Sq.mm Copper	1000	Mtrs	140.00	1,33,000.00
1.22	35 Sq.mm Copper flexible lead wire through flexible PVC conduit	950	Mtrs	690.00	1,03,500.00
1.23	25 Sq.mm Copper flexible lead wire through flexible PVC conduit	150	Mtrs	535.00	1,20,375.00
1.24	16 Sq.mm Copper flexible lead wire through flexible PVC conduit	225	Mtrs	395.00	1,24,425.00
1.25	10 Sq.mm Copper flexible lead wire through flexible PVC conduit	315	Mtrs	260.00	61,100.00
1.26	6 Sq.mm Copper flexible lead wire through flexible PVC conduit	235	Mtrs	190.00	38,000.00
2	Supply & making end termination with brass compression gland & Aluminium lugs for following size of PVC insulated & PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required :-	200	Mtrs		
2.1	3 1/2 C x 400 Sq.mm Aluminium				
2.2	3 1/2 C x 300 Sq.mm Aluminium	12	Nos	1,800.00	21,600.00
2.3	3 1/2 C x 240 Sq.mm Aluminium	30	Nos	1,700.00	51,000.00
2.4	3 1/2 C x 185 Sq.mm Aluminium	10	Nos	1,500.00	15,000.00
2.5	3 1/2 C x 150 Sq.mm Aluminium	10	Nos	1,300.00	13,000.00
2.6	3 1/2 C x 120 Sq.mm Aluminium	6	Nos	1,100.00	6,600.00
2.7	3 1/2 C x 95 Sq.mm Aluminium	6	Nos	1,000.00	6,000.00
2.8	3 1/2 C x 70 Sq.mm Aluminium	6	Nos	900.00	5,400.00
2.9	3 1/2 C x 50 Sq.mm Aluminium	4	Nos	750.00	3,000.00
3.10	3 1/2 C x 35 Sq.mm Aluminium	8	Nos	600.00	4,800.00
3.11	3 1/2 C x 25 Sq.mm Aluminium	6	Nos	500.00	3,000.00
3.12	4C x 16 Sq.mm Aluminium	12	Nos	400.00	4,800.00
3.13	4C x 10 Sq.mm Aluminium	30	Nos	300.00	9,000.00
3.14	4C x 16 Sq.mm Copper	20	Nos	250.00	5,000.00
3.15	4C x 10 Sq.mm Copper	6	Nos	300.00	1,800.00
3.16	4C x 6 Sq.mm Copper	20	Nos	250.00	5,000.00
3.17	4C x 4 Sq.mm Copper	20	Nos	250.00	5,000.00
3.18	3C x 6 Sq.mm Copper	18	Nos	200.00	3,600.00
3.19	3C x 4 Sq.mm Copper	6	Nos	200.00	1,200.00
3.20	3C x 2.5 Sq.mm Copper	6	Nos	200.00	1,200.00
3.21	3C x 1.5 Sq.mm Copper	110	Nos	180.00	19,800.00
3.22	35 Sq.mm Copper flexible lead wire through flexible PVC conduit	80	Nos	180.00	14,400.00
3.23	25 Sq.mm Copper flexible lead wire through flexible PVC conduit	10	Nos	150.00	1,500.00
3.24	16 Sq.mm Copper flexible lead wire through flexible PVC conduit	6	Nos	150.00	900.00
3.25	10 Sq.mm Copper flexible lead wire through flexible PVC conduit	12	Nos	125.00	1,500.00
3.26	6 Sq.mm Copper flexible lead wire through flexible PVC conduit	12	Nos	125.00	1,500.00
	TOTAL of SECTION (B)	12	Nos	100.00	1,200.00
C	EARTHING (GENERAL / DEDICATED)				50,04,895.00
1	Supply & Installation of earth pit comprising of 600mm x 600mm x 6mm thick GI plate buried at a minimum depth of 2.5 meter including necessary materials like charcoal,salt etc as required conforming to BIS standards having brick masonry chamber with hinged cover and watering arrangement including required quantity of Salt & coke for plate earth electrode as required including back filling of excavated soil & making surface uniform till ground level including necessary hardware & accessories, etc. complete as required.	8	Set	15,000.00	1,20,000.00
2	Supply & Installation of earth pit comprising of 300mm x 300mm x 6mm thick GI plate buried at a minimum depth of 2.5 meter including necessary materials like charcoal,salt etc as required conforming to BIS standards having brick masonry chamber with hinged cover and watering arrangement including required quantity of Salt & coke for plate earth electrode as required including back filling of excavated soil & making surface uniform till ground level including necessary hardware & accessories, etc. complete as required.	0	Set	8,500.00	0.00

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
3	Supply & Installation of earth pit comprising of 600mm x 600mm x 3mm thick copper plate buried at a minimum depth of 2.5 meter including necessary materials like charcoal,salt etc as required conforming to BIS standards having brick masonry chamber with hinged cover and watering arrangement including required quantity of Salt & coke for plate earth electrode as required including back filling of excavated soil & making surface uniform till ground level including necessary hardware & accessories, etc. complete as required.	2	Set	18,000.00	36,000.00
4	Supply & Installation of earth pit comprising of 300mm x 300mm x 3mm thick copper plate buried at a minimum depth of 2.5 meter including necessary materials like charcoal,salt etc as required conforming to BIS standards having brick masonry chamber with hinged cover and watering arrangement including required quantity of Salt & coke for plate earth electrode as required including back filling of excavated soil & making surface uniform till ground level including necessary hardware & accessories, etc. complete as required.	1	Set	15,000.00	15,000.00
5	Providing & fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode, as required. (considered with 40mm GI pipe)	75	Mtrs	1,525.00	1,14,375.00
6	Providing & fixing 25 mm X 5 mm GI strip in 40 mm dia G.I. pipe from earth electrode, as required. (considered with 40mm GI pipe)	50	Mtrs	355.00	17,750.00
7	Providing & fixing 25 mm X 5 mm copper strip in on surface or in recess for connections etc. as required.	30	Mtrs	1,325.00	39,750.00
8	Providing & fixing 25 mm X 5 mm GI strip in on surface or in recess for connections etc. as required.	250	Mtrs	155.00	38,750.00
9	Providing & fixing 8 SWG dia GI wire on surface or in recess for loop earthing alongwith existing surface / recessed conduit / submain wiring / cable as required	1200	Mtrs	16.00	19,200.00
10	Providing & fixing 12 SWG dia GI wire on surface or in recess for loop earthing alongwith existing surface / recessed conduit / submain wiring / cable as required	100	Mtrs	8.00	800.00
11	Providing & fixing 8 SWG dia Copper wire on surface or in recess for loop earthing alongwith existing surface / recessed conduit / submain wiring / cable as required	200	Mtrs	140.00	28,000.00
12	Providing & fixing 12 SWG dia Copper wire on surface or in recess for loop earthing alongwith existing surface / recessed conduit / submain wiring / cable as required	150	Mtrs	60.00	9,000.00
13	Supply & installation of 1C x 10 sq.mm flexible Cu. Wire through 20/25mm heavy guage PVC conduit concealed / surface on wall or underground from earth pit to building wall including all necessary hardware & accessories, etc. complete as required.	100	Mtrs	300.00	30,000.00
14	Supply & installation of 1C x 16 sq.mm flexible Cu. Wire through 20/25mm heavy guage PVC conduit concealed / surface on wall or underground from earth pit to building wall including all necessary hardware & accessories, etc. complete as required.	80	Mtrs	350.00	28,000.00
15	Supply & Installation of (50 x 6)mm Cu. earthing bus with enclouser with sufficient no. of hole for connecting earthing wire with necessary accessories, hardware, etc.	1	Nos.	4,500.00	4,500.00
16	Supply & Installation of (50 x 6)mm GI. earthing bus with enclouser with sufficient no. of hole for connecting earthing wire with necessary accessories, hardware, etc	2	Nos.	3,000.00	6,000.00
TOTAL of SECTION (C)					5,07,125.00
D	INTERNAL LIGHTING & POWER WIRING				
1	Supply & Installation of concealed / resseded / surface light point / fan point / exhaust fan point / call bell point wiring using 600V FRLS grade 3R (P+N+E) x 1.5 Sq.mm copper conductor PVC insulated wires (with proper R,Y,B color code) pulled through heavy gauge PVC conduits laid concealed over false ceiling or in wall chases or on the ceiling in case of an open ceiling including 3R (P+N+E) x 2.5 Sq.mm circuit wires from the relevant DB and also including 2.5 sqmm green color copper earth wire and approved make modular type switch plate, switches, MS concealed back box, etc. as required & as approved by the consultant. (Each circuit shall not feed more than 8 points OR 800 watts as per following configuration.) <u>(The item rate shall include Lighting / Raw / UPS Power Circuit wiring from relevent DB to the switch board with 3Rx2.5 Sq mm FRLS wires & from switch board to next switch board OR to the first light point / primary point / full point)</u>				

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
	NOTE :- 1. Only FRLS grade conductor wire shall be used; 2. Conduit carrying circuit wiring should not carry point wiring and Conduit carrying point wiring should not carry submain/circuit wiring; 3. Flexible conduits & Elbows are not allowed; 4. The wires from ceiling junction to light points / light fixture shall be drawn in flexible PVC conduit with adptor & cover for junction box & crimp type lugs at both the ends alongwith necessary hardware & accessories, etc. as required; 5. Proper ferrules, lugs, must be used in all cabling and wiring on both load / source end; 6. Each switch board must be provided with respective ferrules representing the respective DB, Phase & Circuit numbers; 7. Looping of Neutral / Earth wire between two separte Primary / Full Points is strictly not allowed; 8. Looping of Neutral / Earth wire between two separte circuits on similar or other phase is strictly not allowed; 9. Ferulling / numbering / taggning to wires with circuit number & db name for all lighting & raw / ups power shall be strictly followed at both DB & switch board / switch socket boards ends.				
1.1	Primary Point including cosst of 5A modular switch	42	Nos	1,500.00	63,000.00
1.2	Secondary Point looped from above Primary Point without switch	58	Nos	850.00	49,300.00
1.3	Two way light point including the cost of 5A two way switch	2	Nos	2,500.00	5,000.00
1.4	Fan Point including 120W Electronic type step regulator, anchor fastner & 'S' type fan hook in ceiling to suspend ceiling fan by cutting / chiesling / painting as required	2	Nos	2,100.00	4,200.00
1.5	Bell point comprising of wiring as above including G-Magic Wireless Door Bell 4061 with Remote, 32-Melodies & Flashing Light.	1	Nos	1,250.00	1,250.00
1.6	Exhaust fan point consisting of 5A socket near fan and switch on light switch board	6	Nos	1,500.00	9,000.00
2	Supplying & fixing suitable size GI box with modular plate and cover in front of surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection, painting etc. as required including (2 X 2.5 sq.mm + 1 X 2.5 sq.mm earth wire) 5/6A Power circuit wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface / recessed PVC conduit as required.	20	Nos	1,200.00	24,000.00
3	Supplying & fixing suitable size GI box with modular plate and cover in front of surface or in recess, icluding providing and fixing 6 pin 15/16 amps modular socket outlet and 15/16 amps modular switch, connection, painting etc. as required including (2 X 4 sq.mm + 1 X 4 sq.mm earth wire) 15/16A & 20A Power circuit wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface / recessed PVC conduit as required.	6	Nos	1,850.00	11,100.00
4	Supplying & fixing 20 amps, 240 volts, Single Pole industrial type, socket outlet, metal enclosed plug top along with 20 amps 'C' series, SP, MCB, in steel encloser, on surface or in recess, with chained metal cover for the socket outlet & complete with connections, testing, and commsioning etc. as required including (2 X 4 sq.mm + 1 X 4 sq.mm earth wire) 15/16A & 20A Power circuit wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface / recessed PVC conduit as required.	4	Nos	2,875.00	11,500.00
5	Supply & Installation of point wiring for RAW / UPS or stabilized power plug points on workstations / table for computers using 3C X2.5 Sqmm FRLS copper conductor PVC sheathed white color flexible cable pulled through already laid floor raceways and taken upto table top using PVC rigid or flexible conduits run within wooden/metal partitions Each point consisting of 3 nos of 5/15A, universal sockets & 1 No., 15A Switch, wired together forming one point. The earth wire of 3 core flexible cable to be of yellow-green color only. (ONLY FOUR tables served by one circiut from DB)	12	Nos	1,500.00	18,000.00

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
6	Supply & Installation of point wiring for RAW / UPS or stabilized power plug points on workstations / table for computers using 3C X2.5 Sqmm FRLS copper conductor PVC sheathed white color flexible cable pulled through already laid floor raceways and taken upto table top using PVC rigid or flexible conduits run within wooden/metal partitions Each point consisting of 2 nos of 5A, universal sockets & 1 No., 15A Switch, wired together forming one point. The earth wire of 3 core flexible cable to be of yellow-green color only. (ONLY FOUR tables served by one circuit from DB)	4	Nos	2,500.00	10,000.00
7	Supply & installation of T.V. outlet point including all necessary hardware, accessories, etc.	1	Nos	350.00	350.00
8	Supply & laying of RG-6 TV cable through heavy guage PVC conduit including all necessary hardware, accessories, etc. for Satellite TV System & CCTV System as per the location & requirements given by the respective vendor complete as required, directed & instructed at site by Client / Architect / Consultant.	100	Rmt	25.00	2,500.00
9	Supply & laying of RG-11 TV cable through heavy guage PVC conduit including all necessary hardware, accessories, etc. for Satellite TV System & CCTV System as per the location & requirements given by the respective vendor complete as required, directed & instructed at site by Client / Architect / Consultant.	0	Rmt	75.00	0.00
10	Supply & installation of 2-way splitter box including all necessary hardware, accessories, etc.	1	Nos	350.00	350.00
11	Supply & installation of 4-way splitter box including all necessary hardware, accessories, etc.	1	Nos	500.00	500.00
TOTAL of SECTION (D)					2,10,050.00
E	TRENCHING / FLOOR -RACEWAYS & CABLE TRAYS				
1	Supply and laying Aluminium Raceways / Conduits (for under floor trenches / On trays) on existing flooring. Raceways / conduits shall be fixed to the flooring with GI clamps for finished levels as per the site conditions or through partitions with all accessories. The rate shall include preparation of trenches of required sizes by carefully removing the malwa on existing floor for laying Raceways/conduits for power, data, telephone cables etc. The depth of the trenches shall be at least 2 inches from the finished floor level or upto RCC of the slab. The rate shall include the cost of the Raceways/conduits. The rate shall also include the activity of clearing the debris generated from the preparation of trenches & filling the same with PCC.				
1.1	100mm x 40mm x 1.6mm thick Aluminium Raceway	15	Mtrs	350.00	5,250.00
1.2	80mm x 40mm x 1.6mm thick Aluminium Raceway	100	Mtrs	250.00	25,000.00
1.3	60mm x 40mm x 1.6mm thick Aluminium Raceway	85	Mtrs	225.00	19,125.00
2	Supplying & fixing of following sizes of PVC conduit along with accessories in surface / recess including the wall chesling and making the surface good / uniform the same in case of recessed conduit as required.				
2.1	25 mm heavy guage PVC conduit	175	Mtrs	35.00	6,125.00
2.2	32 mm heavy guage PVC conduit	110	Mtrs	45.00	4,950.00
3	Supplying & fixing metal box of following sizes (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc. as required.				
3.1	200mm X 250mm X 60mm deep	0	Nos	300.00	0.00
3.2	250mm X 300mm X 60mm deep	0	Nos	375.00	0.00
3.3	300mm X 300mm X 60mm deep	36	Nos	375.00	13,500.00
4	Fabricating & installing following size of perforated hot dip G.I. cable trays including horizontal & vertical bends, reducers, tees, cross members & other accessories as required & duly suspended from the ceiling with M.S. suspenders & including painting with powder coating etc. as required.				
4.1	150 mm width x 75 mm depth x 1.6 mm thickness	85	Mtrs	400.00	34,000.00
4.2	300 mm width x 75 mm depth x 1.6 mm thickness	250	Mtrs	600.00	1,50,000.00
4.3	450 mm width x 75 mm depth x 1.6 mm thickness	25	Mtrs	1,050.00	26,250.00
4.4	600 mm width x 75 mm depth x 1.6 mm thickness	12	Mtrs	1,250.00	15,000.00
5	Fabricating & installing following size of ladder type hot dip G.I. cable trays including horizontal & vertical bends, reducers, tees, cross members & other accessories as required & duly suspended from the ceiling with M.S. suspenders & including painting with powder coating etc. as required.				
5.1	150 mm width x 75 mm depth x 1.6 mm thickness	25	Mtrs	500.00	12,500.00
5.2	300 mm width x 75 mm depth x 1.6 mm thickness	100	Mtrs	750.00	75,000.00
5.3	450 mm width x 75 mm depth x 1.6 mm thickness	50	Mtrs	950.00	47,500.00

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
		6	Fabricating & installing required size of floor mounted M.S. cable bridges / structures of required height from existing finished floor level for installing & supporting M.S. perforated / ladder type cable trays including horizontal & vertical bends, reducers, tees, cross members & other accessories as required including painting with powder coating etc. as required.	300	Kgs
7	Providing under ground trench of required size & Laying of High Gauge, PVC Conduit / Pipe (ISI marked only) direct in ground at 1 Mtr deep (Min.) including excavation of earth soil, sand cushioning, protective covering and refilling the trench, excavated soil, etc. to make surface uniform with ground level including all necessary hardware & accessories. etc. complete as required for following sizes :-				
7.1	High Gauge 50mm dia, PVC Conduit	25	Mtrs	100.00	2,500.00
7.2	High Gauge 75mm dia, PVC Conduit	120	Mtrs	425.00	51,000.00
7.3	High Gauge 100mm dia, PVC Conduit	110	Mtrs	650.00	71,500.00
7.4	High Gauge 150mm dia, PVC Conduit	80	Mtrs	775.00	62,000.00
7.5	High Gauge 200mm dia, PVC Conduit	90	Mtrs	780.00	70,200.00
7.6	High Gauge 250mm dia, PVC Conduit	60	Mtrs	2,705.00	1,62,300.00
8	Providing under ground trench of required size & Laying of NP2 class, RCC hume pipe at 1 Mtr deep (Min) direct in ground including excavation of earth soil, sand cushioning, protective covering and refilling the trench, excavated soil, etc. to make surface uniform with ground level including all necessary hardware & accessories, etc. complete as required for following sizes:-				
8.1	NP2 class 150mm dia, RCC hume pipe	30	Mtrs	1,000.00	30,000.00
8.2	NP2 class 200mm dia, RCC hume pipe	20	Mtrs	1,150.00	23,000.00
8.3	NP2 class 300mm dia, RCC hume pipe	40	Mtrs	2,500.00	1,00,000.00
TOTAL of SECTION (E)					10,51,700.00
F	LIGHTENING ARRESTOR WORK				
1	SITC of Lightning Arrestor System for Factory complete as JOB Lumpsum	1	Each	1,75,000.00	1,75,000.00
<p>Note :- Contractor must visit the site to study & get familiar with the existing installed Lightning Arrestor & earthing works at thir present facility & quote for this system as Job Lumpsum basis including necessary number of Lightning Arrestors, Earthing Pits, earth conductors, etc. complete as required & recommended by the respective vendor's specifications with prior design approval for Client / Architect / Consultant.</p>					
TOTAL of SECTION (F)					1,75,000.00
G	MISCELLANEOUS WORKS (INCLUDING ELECTRICAL INSPECTION CHAMBER CIVIL WORKS)				
1	Preparation & submission of all the required Electrical Services Panel GA & Control Circuit Drawings & approval from the client / consultant & As-Built drawings, Submission of testing reports, opearating manuals, warranty / guarantee cards etc. complete as required.	1	JOB	5,00,000.00	5,00,000.00
2	ELECTRICAL INSPECTION CHEMBERS (FOR U/G LT/HT CABLES) :- Providing following sizes of Electrical Inspection / access chamber for electrical HT / LT underground cable trenches in ground as required made of brick & concrete with MS checker plate cover for access to underground cables / conduits.				
2.1	Providing (600x600x1000deep)mm Electrical Inspection / access chamber for electrical HT / LT underground cable trenches in ground as required made of brick & concrete with MS checker plate cover for access to underground cable.	1	Nos	12,500.00	12,500.00
2.2	Providing (1000x1000x1200deep)mm Electrical Inspection / access chamber for electrical HT / LT underground cable trenches in ground as required made of brick & concrete with MS checker plate cover for access to underground cable.	1	Nos	15,000.00	15,000.00
3	ELECTRICAL INSPECTION CHEMBERS (FOR U/G LT/HT CABLES) :- Providing following sizes of Electrical Inspection / access chamber for electrical HT / LT underground cable trenches in ground as required made of RCC with MS checker plate cover for access to underground cables / conduits				
3.1	Providing (600x600x1000deep)mm Electrical Inspection / access chamber for electrical HT / LT underground cable trenches in ground as required made of brick & concrete with MS checker plate cover for access to underground cable.	1	Nos	12,500.00	12,500.00
3.2	Providing (1000x1000x1200deep)mm Electrical Inspection / access chamber for electrical HT / LT underground cable trenches in ground as required made of brick & concrete with MS checker plate cover for access to underground cable.				

PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
	TOTAL of SECTION (G)			

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT
II	DATA & VOICE NETWORKING				
A	DATA NETWORKING				
1	Supply & Laying of Cat - 6 UTP cable through existing conduits	300	Rmt.	30.00	9,000.00
2	Supply of Single/Dual/Quad Face Plate with Information outlet & MS / PVC back box if required including all necessary hardware & accessories, etc.	35	Nos.	400.00	14,000.00
3	Supply & installation of 8 Port 10/100 Mbps Unmanage switch	0	Nos.	1050.00	0.00
4	Supply & installation of 24 Port 10/100 Mbps Unmanage switch	2	Nos.	3500.00	7,000.00
5	Supply & installation of 24 port jack panel	2	Nos.	1600.00	3,200.00
6	Supply of mounting cord (7 feet')	35	Nos.	200.00	7,000.00
7	Supply of mounting cord (3 feet')	35	Nos.	150.00	5,250.00
8	Supply & Installation of 15U Network rack with necessary accessory with 2 cable tray and PDU alongwith all necessary hardware & accessories as required.	1	Nos.	32000.00	32,000.00
9	Termination, Testing, Scanning, Certification and Documentation of UTP Points	35	Nos.	150.00	5,250.00
TOTAL of SECTION (A)					82,700.00

B	VOICE NETWORKING				
1	Supply & Laying of 2-pair telephone wire / cable through existing conduits	300	Rmt.	15.00	4,500.00
2	Supply of RJ 11 Telephone socket outlet with modular plate & MS / PVC back box if required including all necessary hardware & accessories, etc.	10	Nos.	250.00	2,500.00
3	Supply, installation, testing and commissioning of indoor type telephone distribution box with suitable S.S. frame for mounting tag module.cable, wires and incorporated in 16 SWG MSboxwith proper lockable cover.The box should be fixed on wall with suitable fastenersincludingpainting & earthing.This also includes fixing the cable,distribution chart sufficient space for the cables, wires etc.to be provided in the box for:				
3.1	10 pair MDF with Krone module	0	Nos.	500.00	0.00
3.2	20 pair MDF with Krone module	0	Nos.	1000.00	0.00
3.3	50 pair MDF with Krone module	1	Nos.	2000.00	2,000.00
3.4	100 pair MDF with Krone module	0	Nos.	4500.00	0.00
3.5	200 pair MDF with Krone module	0	Nos.	10000.00	0.00
4	Termination, Testing and Documentation of Telephone Points	10	Nos.	50.00	500.00
5	Supply & Laying of 10 pair telephone cable through heavy gauge PVC conduit including all nessessary hardware & accessories, etc.	110	Rmt	76.00	8,360.00
6	Supply & Laying of 20 pair telephone cable through heavy gauge PVC conduit including all nessessary hardware & accessories, etc.	0	Rmt	145.00	0.00
7	Supply & Laying of 10 pair Jellyfield Armoured telephone cable through heavy gauge PVC conduit including all nessessary hardware & accessories, etc.	0	Rmt	210.00	0.00
8	Supply & Laying of 20 pair Jellyfield Armoured telephone cable through heavy gauge PVC conduit including all nessessary hardware & accessories, etc.	0	Rmt	325.00	0.00
9	Supply & Laying of 50 pair Jellyfield Armoured telephone cable through heavy gauge PVC conduit including all nessessary hardware & accessories, etc.	0	Rmt	565.00	0.00
TOTAL of SECTION (B)					17,860.00

BILL OF QUANTITIES

S.N. III

BILL OF QUANTITIES FOR ELECTRICAL & ALLIED WORKS

S.N.	PARTICULARS	QTY	UNIT	RATE	AMOUNT
				PER UNIT	
III	INDOOR LIGHTING FIXTURES				
A	SUPPLY & INSTALLATION OF INTERNAL AREA LIGHTING FIXTURES				
	Supply & Installation of following lighting fixtures with lamps as per the details below including necessary hardware such as clamos, nuts, bolts, nails, screws and suspension rods / chains as required for fixing the fixtures in position as directed by architect / consultant / client at site.				
	Note :- All Light Fixtures shall be approved by the Client / Architect / Consultant before placing order to the Light Fixture Vendor / Supplier. All Light Fixtures shall be of Philips / Wipro / CG make only unless & otherwise other makes are specified. Client / Architect / Consultant reserves right to approve / select final Light Fixtures from any make as required.				
1	DownLighter fixture (LED) suitable for passage / toilets / false ceiling				
1.1	Supply & Installation of (90 W / 9100 lumens) LED flush mounted Light fixture. (CGL Cat No. :- LHBBX-90-CDL-MB or equivalent category & model in Bajaj / Philips make as approved by client / architect / consultant.)	15	Nos	11,000.00	1,65,000.00
1.2	Supply & Installation of (15-18 W) LED Spotlight flush mounted Light fixture. (PHILIPS Cat No. :- DN 193B LED 12S-4000 PSU WH / WIPRO Cat No. :- LD71-121-XXX-57-XX / GE Cat No. :- GE FERN LG7 18W or equivalent category & model in CGL / Bajaj make as approved by client / architect / consultant.)	4	Nos	1,500.00	6,000.00
1.3	Supply & Installation of (10-15 W) LED Spotlight flush mounted Light fixture. (PHILIPS Cat No. :- DN 191B LED 6S-4000 PSU WH / WIPRO Cat No. :- LD71-101-XXX-57-XX / GE Cat No. :- GE FERN LG7 12W 5600K or equivalent category & model in CGL / Bajaj make as approved by client / architect / consultant.)	3	Nos	1,350.00	4,050.00
1.4	Supply & Installation of (3W) LED Spotlight fixed / eye ball rotating type as approved flush mounted Light fixture. (PHILIPS / HAVELLS / CGL / WIPRO / GE make as approved by client / architect / consultant.)	4	Nos	850.00	3,400.00
1.5	Supply & Installation of (1W) LED Spotlight fixed / eye ball rotating type as approved flush mounted Light fixture. (PHILIPS / HAVELLS / CGL / WIPRO / GE make as approved by client / architect / consultant.)	2	Nos	750.00	1,500.00
2	Suspended / Surface Mounted Light fixture				
2.1	Supply & Installation of (1 X 28W) T5 4' Patti Tubelight with cover having low loss (5.5w) ballast and 4.0 Mfd power factor Capacitor.	10	Nos	350.00	3,500.00
2.2	Supply & Installation of (1 X 14W) T5 2' Patti Tubelight with cover having low loss (5.5w) ballast and 4.0 Mfd power factor Capacitor.	2	Nos	300.00	600.00
3	Wall Mounted FANS-				
	Supply & Installation of Wall Mounted fans (Heavy duty / Industrial type) including all mounting arrangement along with necessary hardware & accessories, etc.				
3.1	750mm dia - Bajaj / Crompton / Almonard	10	Nos	6,500.00	65,000.00
3.2	1200mm dia - Bajaj / Crompton / Almonard	0	Nos	7,500.00	0.00
4	CEILING FANS-				
	Supply & Installation of ceiling fans with electronic step regulator, hook / anchor fastner, rod (point wiring not to be included)				
4.1	Regular Ceiling fans (48") - Bajaj / Crompton	2	Nos	3,500.00	7,000.00
4.2	Decorative Ceiling fans (48") - Bajaj / Crompton	0	Nos	6,600.00	0.00
5.3	Ceiling / Wall mounted 400mm dia fans - Crompton make, Model : Thrust Air / Equivalent model in Bajaj	0	Nos	6,500.00	0.00
5	Exhaust Fans				
	Supply & Installation of Industrial type Heavy Duty Exhaust fan of following size 415V A.C. Three phase, 50Hz, to be provided with fan bracket fixed on wall duly grouted and surface made good to match the surroundings. The exhaust fan shall be provided complete with support frames duly fixed, including connection etc. as required.				
5.1					
6.1.1	600mm / 24" Size 900 RPM (500Watt)	10	Nos	5,000.00	50,000.00
6.1.2	750mm / 30" Size 900 RPM (910Watt)	0	Nos	6,500.00	0.00

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT
5.2	Supply & Installation of Exhaust fan of following size 230V A.C. single phase, 50Hz, 1400 RPM to be provided with fan bracket fixed on wall duly grouted and surface made good to match the surroundings. The exhaust fan shall be provided with louvers complete with support frames duly fixed, including connection etc. as required.	2	Nos	2,250.00
6.2.1	9" size	1	Nos	2,850.00
6.2.2	12" size			
TOTAL of SECTION (A)				

LIST OF QUANTITIES FOR ELECTRICAL & ALLIED WORKS

S.N.	PARTICULARS	QTY	UNIT	RATE PER UNIT	AMOUNT (Rs.)
OUTDOOR AREA LIGHTING FIXTURES					
A SUPPLY & INSTALLATION OF OUTDOOR AREA LIGHTING FIXTURES					
1	Supply & Installation of LED Type 120 Watt (10,200 lumens) floodlight luminaries and accessories including surface mounting arrangement at the height as approved by the client / consultant alongwith all necessary hardware & accessories, etc. complete as required. (CGL Cat no. :- LSFO-120-CDL)	4	Nos	3,500.00	14,000.00
2	Supply & Installation of LED Type 200 Watt (18,000 lumens) floodlight luminaries and accessories including surface mounting arrangement at the height as approved by the client / consultant alongwith all necessary hardware & accessories, etc. complete as required. (CGL Cat no. :- LSFO-200-CDL/60)	4	Nos	4,000.00	16,000.00
3	Supply & Installation of FGS 120 / 136 HF 1x36w CFL Wall / Street light fitting with, with acrylic cover & all accessories. The fitting shall be fixed to wall with angled GI bracket of required diameter. The brackets shall be fixed with clamps to the wall. The rate shall include 6"x 6" junction box, weather proof with 4 no.s of 10A elmex terminals & a kit-kat fuse. The rate to include connection with 3core 0.5Sq.mm cable from JB to fitting & 36w CFL.	10	Nos	2,500.00	25,000.00
4	Supply & Installation of 2.5 M hot dip galvanised PIPE Bracket for mouniting of luminaries on wall along with JB, 3C X2.5 Sq. mm cable & other associated accessories.	10	Nos	4,500.00	45,000.00
TOTAL of SECTION (IV-B)					1,00,000.00

LIST OF APPROVED MANUFACTURERS FOR LT ELECTRICAL WORKS

S.N.	MATERIALS	APPROVED MANUFACTURERS
1	Moulded Case Circuit Breaker (MCCB)	i) Legrand ii) Schneider iii) Hager iv) Siemens
2	Switch Fuse Unit (SFU)	i) L & T ii) Siemens iii) ABB
3	Contactors	i) L & T ii) Siemens iii) Schneider
4	Meters	i) HPL ii) IMP iii) L & T
5	LT cable	i) Polycab ii) Finolex iii) R R Kabel iv) CCI
6	Cable Termination	i) Dowells ii) Comet
7	Cable Tray	i) Profab ii) Metalemms iii) Asian Ancillary Corporation
8	Conduit PVC	Precision Only
9	MS Conduit & Accessories (ISI Mark). Medium - 1.6 mm thick. Heavy - 2 mm thick.	i) BEC ii) AKG iii) NIC
10	Wires (FRLS)	i) RR Kabels ii) Havells iii) Finolex iv) Polycab
11	Modular Switches & Sockets with PVC Box	i) Legrand - Arteor ii) MK - (Wrapround model) iii) Schneider - (Opale model) iv) North-West - (NOWA model)

S.N.	MATERIALS	APPROVED MANUFACTURERS
12	Distribution Board, MCB & ELMCB	i) Legrand ii) Schneider iii) Hager
13	Data / Voice Cable & accessories	i) D-Link ii) Amp
14	Light Fixtures	i) Wipro ii) Philips iii) Crompton Greves iv) GE
15	Tubes, PL's & CFL's	i) Philips ii) Osram iii) Trulite
16	Ceiling Fan	i) CG ii) Havells iii) Bajaj iv) Orient
17	Exhaust Fan	i) CG ii) Almonard iii) Alstom
18	Speakers	i) BOSCH ii) Ahuja
19	Amplifier	i) BOSCH ii) Ahuja
20	Electrical LT Panel	ISO 9001 : 2008 & CPRI Approved Panel Manufacturer Only.
21	Capacitors	i) Siemens ii) L & T iii) Schneider iv) ABB iii) Universal
22	CTS / PTS	i) AE ii) Kappa iii) Ricco iv) Rishabh
23	APFC Relay.	i) HPL ii) Emercon iii) Alstom iv) Beluk v) L & T

S.N.	MATERIALS	APPROVED MANUFACTURERS
24	Contactora / Timer	i) Schneider ii) Hager iii) L & T iv) Siemens iv) Legrand
25	Energy Meters	i) Trinity ii) Schneider iii) L & T iv) Tecnic v) AE vi) HPL

NOTE :-

- 1 All approved material samples shall be approved from the client / consultant / architect.
- 2 Client / consultant / architect reserves final right to select any make for any item from the above mentioned list of make.
- 3 Client / consultant / architect reserves final right to reject any material if found out of approved list of make / not upto the acceptable standards.



SALES & SERVICE OF FAX, EPABX, KTS, COMPUTERS

Flat No. 6, Nav Shradha Co-Op Hsg. Society, Subhash Road, Dombivali (W), Thane-421 202. Cell : 98203 56741 / 98197 06040 • E-mail : upgradeurpc@gmail.com

Date - 12-01-2025.

Ref ATS 038-SALES-2024-25

To,

FOAMZ MANUFACTURING LLP.
301, Mukhyadhyapak Bhavan.
Plot no 6-B, Road no 24, Sion.
Mumbai - 400 022.

Subject ----- Quotation for New Server system.

Sir,

Thanks for your interest in **ASIAN TECHNOLOGIES**. In response to your recent inquiry, we are pleased to submit our best quote for the Server system, as outlined in the attached specification.

No.	Description	Qty	Rate	GST	Amount
1.	Tower Model DELL Power Edge T150 with following configuration	01	Rs. 1,97,850/-	Rs. 35,613/-	Rs. 2,33,463/-

Payment terms	-----	100% advance along with the purchase order.
Warranty	-----	3 year from the date of purchase.
Service	-----	1 year from the date of purchase.
Delivery Period	-----	7 days from date of approval.
Validity	-----	90 days from the date of offer.

For **ASIAN TECHNOLOGIES**.



VRUJESH PULEKAR

Digitally signed by Vrujesh Rajaram Pulekar
DN: c=IN, o=Personal, title=5732, pseudonym=133481548207629998A6LJC6623VggU4,
2.5.4.20=1a0436dcb46d45f51e32a646604ad794b788bbf65e77940aab28deb64a324a8e,
postalCode=421202, st=Maharashtra,
serialNumber=644ffa25ea0f2a8779eb770efb2026be5040b838faeb0a1a34cfb518126c6e4c,
cn=Vrujesh Rajaram Pulekar
Date: 2025.01.12 21:18:56 +05'30'

The configuration is as follows -----

Processor	-----	Intel Xeon E-2314 (2.8GHZ 8M Cache, 4C/4T, Turbo, 65W, TPM, 4 Dimms) Generation Processor.
RAM	-----	128GB (4 X 32 GB)
Hard Disk	-----	2 X 4TB (8TB) Hard Drive SATA 6 Gbps Enterprise
Screen	-----	Samsung 22" FHD
Keyboard Mouse	-----	Combo
Cabinet	-----	Tower Cabinet
Anti Virus	-----	Quick Heal Server Edition One year License.
Raid	-----	Onboard + Dual Gigabit Ethernet Onboard + 1 dedicated management port
Other	-----	Single Power Supply, 300W / iDRAC Advanced
Warranty	-----	3YR Pro Support Onsite.
Service	-----	1YR Support Onsite.

Ref ATS 039-SALES-2024-25

Date - 12-01-2025.

To,

FOAMZ MANUFACTURING LLP.
301, Mukhyadhyapak Bhavan.
Plot no 6-B, Road no 24, Sion.
Mumbai - 400 022.

Subject ----- Quotation for Windows Server 2025 Paper License.


Sir,

Thanks for your interest in **ASIAN TECHNOLOGIES**. In response to your recent inquiry, we are pleased to submit our best quote for the Server softwares, as outlined in the attached specification.

No.	Description	Qty	Rate	Amount	GST	Total Amount
1.	Windows Server 2025 Paper License	01	Rs. 1,05,500/-	Rs. 1,05,500/-	Rs. 18,990/-	Rs. 1,24,490/-
2.	RDP Cals	05	Rs. 16,350/-	Rs. 81,750/-	Rs. 14,715/-	Rs. 96,465/-
Total Amount						<u>Rs. 2,20,955/-</u>

Payment terms ----- 100% advance along with the purchase order.
Delivery Period ----- 7 days from date of approval.
Validity ----- 90 days from the date of offer.

For **ASIAN TECHNOLOGIES**.



VRUJESH PULEKAR

Ref ATS 041-SALES-2024-25

Date - 12-01-2025.

To,

FOAMZ MANUFACTURING LLP.
301, Mukhyadhyapak Bhavan.
Plot no 6-B, Road no 24, Sion.
Mumbai - 400 022.

Subject ----- Quotation for HP Laptop's.

Sir,

Thanks for your interest in **ASIAN TECHNOLOGIES**. In response to your recent inquiry, we are pleased to submit our best quote for the laptop, as outlined in the attached specification.

No.	Description	Qty	Rate	Amount	GST	Total Amount
1.	HP Laptop 15s-fy5006TU	15	Rs. 36,000/-	Rs. 5,40,000/-	Rs.97,200/-	Rs.6,37,200/-

Payment terms ----- 100% advance along with the purchase order.
Warranty ----- 1 years from the date of purchase.
Delivery Period ----- 7 days from date of approval.
Validity ----- 90 days from the date of offer

For **ASIAN TECHNOLOGIES**.



VRUJESH PULEKAR

The configuration is as follows -----

Processor	-----	Intel i3 12 th Generation Processor i3-1215U.
RAM	-----	16GB (1 X 16 GB) DDR4.
Hard Disk	-----	512GB Hard Drive SSD.
Screen	-----	15.6: Screen, FHD, Anti Glare.
Keyboard Mouse	-----	Nil.
Cabinet	-----	Nil.
Anti Virus	-----	Quick AntiVirus One year License.
OS	-----	Windows 11 Home.
Office	-----	Microsoft Home & Students 2021.
Warranty	-----	1YR Support Onsite

Ref ATS 043-SALES-2024-25

Date - 12-01-2025.

To,

FOAMZ MANUFACTURING LLP.
301, Mukhyadhyapak Bhavan.
Plot no 6-B, Road no 24, Sion.
Mumbai - 400 022.

Subject ----- Quotation for Slim Desktop PC.

Sir,

Thanks for your interest in **ASIAN TECHNOLOGIES**. In response to your recent inquiry, we are pleased to submit our best quote for the branded desktop, as outlined in the attached specification.

No.	Description	Qty	Rate	Amount	GST	Total Amount
1.	HP Slim Desktop PC S01-pf2888in	05	Rs. 45,000/-	Rs. 2,25,000/-	Rs.40,500/-	Rs.2,65,500/-

Payment terms ----- 100% advance along with the purchase order.
Warranty ----- 1 years from the date of purchase.
Delivery Period ----- 7 days from date of approval.
Validity ----- 90 days from the date of offer

For **ASIAN TECHNOLOGIES**.


VRUJESH PULEKAR

VRUJESH PULEKAR

Digitally signed by Vrujesh Rajaram Pulekar
DN: c=IN, o=Personal, title=5732, pseudonym=133481548207629998A6LJC6623VggU4,
2.5.4.20=1a0436dcb46d45f51e32a646604ad794b788bbf65e77940aab28deb64a324a8e,
postalCode=421202, st=Maharashtra,
serialNumber=644ffa25ea0f2a8779eb770efb2026be5040b838faeb0a1a34cfb518126c6e4c,
cn=Vrujesh Rajaram Pulekar
Date: 2025.01.12 20:58:17 +05'30'



in
LOGIES

PUTERS

mail.com

SALES & SERVICE OF FAX, EPABX, KTS, COMPUTERS

Flat No. 6, Nav Shradha Co-Op Hsg. Society, Subhash Road, Dombivali (W), Thane-421 202. Cell : 98203 56741 / 98197 06040 • E-mail : upgradeurpc@gmail.com

The configuration is as follows -----

Processor	-----	Intel i3 12 th Generation Processor i3-1215U.
RAM	-----	16GB (1 X 16 GB) DDR4.
Hard Disk	-----	512GB Hard Drive SSD.
Screen	-----	22" Samsung FHD, IPS Screen..
Keyboard Mouse	-----	Dell Combo Wired pack.
Cabinet	-----	Slim Mini Tower..
Anti Virus	-----	Quick AntiVirus One year License.
OS	-----	Windows 11 Home.
Office	-----	Microsoft Home & Students 2021.
Warranty	-----	1YR Support Onsite

Ref ATS 044-SALES-2024-25

Date - 12-01-2025.

To,

FOAMZ MANUFACTURING LLP.
301, Mukhyadhyapak Bhavan.
Plot no 6-B, Road no 24, Sion.
Mumbai - 400 022.

Subject ----- Quotation for Tally Prime Gold.


Sir,

Thanks for your interest in **ASIAN TECHNOLOGIES**. In response to your recent inquiry, we are pleased to submit our best quote for the Tally, as outlined in the attached specification.

No.	Description	Qty	Rate	GST	Total Amount
1.	TALLY PRIME GOLD	01	Rs. 67,500/-	Rs.12,150/-	Rs. 79,650/-

Payment terms ----- 100% advance along with the purchase order.
Warranty ----- 1 years from the date of purchase.
Delivery Period ----- 7 days from date of approval.
Validity ----- 90 days from the date of offer

For **ASIAN TECHNOLOGIES**.


Vrujesh Pulekar

VRUJESH PULEKAR

Digitally signed by Vrujesh Rajaram Pulekar
DN: c=IN, o=Personal, title=5732, pseudonym=133481548207629998A6LJC6623VggU4,
2.5.4.20=1a0436dcb46d45f51e32a646604ad794b788bbf65e77940aab28deb64a324a8e,
postalCode=421202, st=Maharashtra,
serialNumber=644ffa25ea0f2a8779eb770efb2026be5040b838faeb0a1a34cfb518126c6e4c,
cn=Vrujesh Rajaram Pulekar
Date: 2025.01.12 21:00:30 +05'30'



SALES & SERVICE OF FAX, EPABX, KTS, COMPUTERS

Flat No. 6, Nav Shradha Co-Op Hsg. Society, Subhash Road, Dombivali (W), Thane-421 202. Cell : 98203 56741 / 98197 06040 • E-mail : upgradeurpc@gmail.com

Ref ATS 047-SALES-2024-25

Date - 12-01-2025.

To,

FOAMZ MANUFACTURING LLP.
301, Mukhyadhyapak Bhavan.
Plot no 6-B, Road no 24, Sion.
Mumbai - 400 022.

Subject

Quotation for Microsoft Office 365 Multi-user.

Sir,

Thanks for your interest in **ASIAN TECHNOLOGIES**. In response to your recent inquiry, we are pleased to submit our best quote for the Tally, as outlined in the attached specification.

No.	Description	Qty	Rate	Amount	GST	Total Amount
1.	Microsoft Office 365 Family Pack (5 Users) One Year subscription	03	Rs. 5,300/-	Rs. 15,900/-	Rs. 2,862/-	Rs. 18,762/-

Payment terms
Warranty
Delivery Period
Validity

100% advance along with the purchase order.
1 years from the date of purchase.
7 days from date of approval.
90 days from the date of offer

For **ASIAN TECHNOLOGIES**.

VRUJESH PULEKAR

Digitally signed by Vrujesh Rajaram Pulekar
DN: c=IN, o=Personal, title=5732, pseudonym=133481548207629998A6LJC6623VggU4,
2.5.4.20=1a0436dcb46d45f51e32a646004ad794b788bb65e77940aab28deb64a324a8e,
postalCode=421202, st=Maharashtra,
serialNumber=644ffa25ea02a8779eb770efb2026be5040b83faeb0a1a34cfb518126c6e4
c.cn=Vrujesh Rajaram Pulekar
Date: 2025.01.13 11:46:47 +05'30'

Forward: Atlas Copco Compressor Offer

From: Shailesh Jayawant <shaileshjayawant@gmail.com>
To: suhas masurkar <foamzindia@gmail.com>

10 January 2025 at 13:16

----- Forwarded message -----

From: **Swapnil Patade** <swapnil.patade@atlascopco.com>
Date: Fri, 10 Jan, 2025, 12:15 pm
Subject: RE: Atlas Copco Compressor Offer
To: shaileshjayawant@gmail.com <shaileshjayawant@gmail.com>

Hi Sir,

As discussed, please find the attached revised offer for your reference.

Please feel free to contact me if you have any questions.

Would you like to know how you can save cost by upgrading your compressed air system? Click here:
<https://www.atlascopco.com/en-in/compressors/upgrade-to-save>

Regards

Swapnil Patade
Territory Sales Manager

Industrial Air
Atlas Copco (India) Private Ltd

Formerly known as Atlas Copco (India) Limited
Visitor Address: WeWork,
7th Floor, Zenia Building, Hiranandani Circle,
Hiranandani Business Park, Thane - 400607

Phone: +91 8956771195
E-mail: swapnil.patade@atlascopco.com
Company Reg. No: U27106PN1960PTC020566
Company Reg. Office: AAACA4074D
Visit Atlas Copco at: <http://www.atlascopco.com>
Follow us at: Facebook - LinkedIn - Twitter - YouTube - Instagram

Home of Industrial Idea

From: Swapnil Patade <swapnil.patade@atlascopco.com>
Sent: Thursday, March 14, 2024 8:38 PM
To: shaileshjayawant@gmail.com
Subject: RE: Atlas Copco Compressor Offer

Hi Sir,

Resending you the offer submitted earlier.

Regards

Swapnil Patade
Territory Sales Manager

Industrial Air
Atlas Copco (India) Private Ltd

(Formerly known as Atlas Copco (India) Limited)
Visitor Address: WeWork,
7th Floor, Zenia Building, Hiranandani Circle,
Hiranandani Business Park, Thane - 400607

Phone: +91 8956771195

E-mail: swapnil.patade@atlascopco.com

Company Reg. No: U27106PN1960PTC020566

Company Reg. Office: AAACA4074D

Visit Atlas Copco at: <http://www.atlascopco.com>

Follow us at: Facebook - LinkedIn - Twitter - YouTube - Instagram

[Quoted text hidden]

2 attachments

 Foamz _GA18 VFD IPM_Jan 25.pdf
1650K

 GA 18-22 VSD (iPM) P FF 50Hz Standard Scope of Supply EN Pune.pdf
803K



**Foamz Manufacturing
(I) LLP**

Mr. Shailesh Jayawant

**Quote no. 4882286_R1
10/01/2025**

Atlas Copco

Quote number: 4882286_R1
Date: 10/01/2025
2/22


Contact: Mr. Shailesh Jayawant
Company: Foamz Manufacturing (I) LLP
Address: 301
Mumbai, - 400 022
Maharashtra India
+91 9867083653
shaileshjayawant@gmail.com

Phone:
Email:

Dear Mr. Shailesh Jayawant

Thank you for your recent enquiry. Further to our discussions, please find enclosed our quotation as per your requirements.

A greener society is taking shape and our solutions are part of the transformation. At Atlas Copco Compressor Technique, we team up with our customers to turn industrial ideas into smart connected compressed air solutions and leading edge compressed air technology. Our passionate people, expertise and service bring sustainable value to industries everywhere.



Atlas Copco was founded in 1873, is based in Stockholm, Sweden, and has a global reach spanning more than 180 countries. Established in India on 28th January 1960, Atlas Copco India has solid presence in the air compressor sales and service industry.

We trust that enclosed information is of your interest and look forward to hearing back with your valued order. If you require any further assistance on this or information regarding any of our products and services, please do not hesitate to contact me anytime.

Yours sincerely

Swapnil Patade
Email: swapnil.patade@atlascopco.com
Scan the QR codes and follow us:



10	GA18VSD IPM FF AIR COMPRESSOR	84148090	1	₹ 14,50,000	₹ 62,000	₹ 62,000
20	Air Receiver 0.5m3@10 kg/cm2	73110090	1	₹ 86,250	₹ 75,000	₹ 75,000
30	FILTER UD75+ (G 1)	84213920	1	₹ 153,806		
				Grand Total (excl. Tax) INR		₹ 1,122,000
				GST (Items)		18%

Payment & delivery conditions

Quote valid to:	28/02/2025
Commissioning:	If applicable, see General Terms & Conditions
Installation:	If applicable, see General Terms & Conditions
Warranty:	See General terms and conditions
Payment terms:	ZFDP - Prepayment (100% downpayment)
Delivery time:	8 to 12 Weeks
Incoterms & location:	EXW - Pune, Maharashtra, India

Terms & conditions


All other Atlas Copco Terms & Conditions of Sales apply.

A full copy of our terms & conditions can be found at the back of our quotation.

Weltech Refrigeration Co.

118, Tirupati Indl. Estate, Subash Nagar, Bhandup west, Mumbai 400 078. Tel : 022-2566 3522
Telefax 022- 2566 3533 Web : www.bluberg.com E-mail : thomastech@mtnl.net.in ; weltech03@gmail.com

An ISO 9001 : 2015 Certified Co.



WRC/S/24-25/323

13th Jan, 2025.

FOAMZ MANUFACTURING (INDIA)LLP.,
301, Mukhyadhyapak Bhawan, Plot 6/B, Road No. 24,
Sion Circle, Mumbai - 400 022

Dear Sir,

Kind Attn. : Purchase Dept.

We thank you for your valid enquiry.

As per our telecon, please find enclosed herewith our Techno-Commercial offer for the Supply of Water Chiller, perfectly as per your requisite.

Assuring you of our timely delivery and consistency in quality.
Please feel free to contact us for any further information.
We look forward to hear from you.

Thanking you,

Yours faithfully,
For Weltech Refrigeration Co.,
Sd/-
Authorised Signatory
Encl : A/A



Weltech Refrigeration Co.

118, Tirupati Indl. Estate, Subash Nagar, Bhandup west, Mumbai 400 078. Tel : 022-2566 3522
 Telefax 022- 2566 3533 Web : www.bluberg.com E-mail : thomastech@mtnl.net.in ; weltech03@gmail.com

An ISO 9001 : 2015 Certified Co.

TECHNO-COMMERCIAL OFFER FOR THE SUPPLY OF AIR COOLED WATER CHILLER.

Supply of Water Chiller :

Model BWC 30013 : Rs.4,15,000.00
 10 TR. (Rupees Four Lakh fifteen thousand only.)

Model BWC 60133 : Rs.7,21,000.00
 20 TR. (Rupees Seven Lakh twenty one thousand only.)

Specifications :

Product Name : Bluberg Water Chiller
 Sheet Metal : M. S. Powder Coated
 Condenser : Air Cooled
 Storage : 200 - 250 Ltrs. in S.S. 304
 Coolant : R - 22
 Compressor : Emerson (Kirloskar) / Danfoss make
 Water Pump : Crompton / Kirloskar / CRI/ Wilo
 Insulation : Poly Nitrile Rubber Sheets
 Panel Board : Digital Display with Timer, M.C.B, O.L.P. for Compressor & Pump,
 Relay, H.P./L.P. Switches with Indicator, Single Phase Preventor,
 Water Low Level Indicator, By Pass & Safety Alarm.
 Power Supply : 3Ph. 415V, 50 Hz + N

Easy Installation Provided.

Our Unit is being provided with :

* *In Built Tank in Stainless Steel duly Insulated.*

** *Digitally controlled Safety, Timer & Re-Circulation, Outlet, Inlet systems*

*** *Temperature Display adjustable Digital Meter which can be operated as per your requirement.*

Terms :

Payment : 50% Advance & balance vide NEFT against Pro-Invoice before despatch
 Delivery : 4 - 7 weeks against confirmed order
 GST : 18 % extra HSN Code : 8418
 Packing : 3.9% (Wooden box - Crate) if required
 Forwarding : To pay basis
 Installation : As actual (if required)
 Warranty : 12 Months

Exclusion :

1. Supply of any material or work not mentioned above.
2. Any nature of civil / electrical / plumbing work at site.

Weltech Refrigeration Co.

118, Tirupati Indl. Estate, Subash Nagar, Bhandup west, Mumbai 400 078. Tel : 022-2566 3522
Telefax 022- 2566 3533 Web : www.bluberg.com E-mail : thomastech@mtnl.net.in ; weltech03@gmail.com

BLU BERG

An ISO 9001 : 2015 Certified Co.

SCOPE OF SUPPLY - BWC 30013/60133

- COMPRESSOR
MAKE : EMERSON KIRLOSKAR / DANFOSS MAKE
TYPE : SCROLL
- CONDENSER
MAKE : WELTECH
TYPE : AIR COOLED, COIL TYPE
COIL SPECS : COPPER TUBE WITH ALUMINIUM FINS

- MOC
INNER TANK : DULY INSULATED
OUTER BODY : M. S. POWDER COATED

- RESERVOIR
CAPACITY : 200 - 250 LTRS. IN S.S.304

- PUMP
MAKE : CROMPTON/ KIRLOSKAR/CRI / WILO

THE CHILLER IS PROVIDED WITH INLET /OUTLET CONNECTIONS & IS DULY INSULATED.

CONTROLS PROVIDED :

CONTACTOR RELAY
DIGITAL TEMP CONTROLLER.

- REFRIGERATION ACCESSORIES : DANFOSS / REPUTED MAKE.
- ELECTRICAL ACCESSORIES : REPUTED MAKE

FULL FUNCTION ELECTRICAL & CONTROL PANEL WITH COMPLETE INTERLOCKING & FAULT INDICATION CONSISTING OF

- MCB,
- THERMAL OVERLOAD RELAY WITH SINGLE PHASE PREVENTOR
- OFF DELAY TIMER
- INDICATING LAMPS.



CIN: U24111TG1996PTC030487

Offer Reference Date: 10/01/2025

Offer Reference: 020125

Customer Reference Date: 01/01/2025

Customer Reference: Email

Foamz Manufacturing (I) LLP
301, Mukhyaadhyapak Bhawan, Plot No.6-B, Sion circle, Mumbai-400022

Kind Attention : Mr. Shailesh Jayawant
Designation: Owner

Sub : Offer for supply and installation of Maxima Manifold.

Dear Sir,

We are pleased to introduce ourselves as SHV Energy Pvt. Ltd. a 100% subsidiary of SHV Holdings N.V., a fortune 500 Dutch company established in 1896 with vast trading experience. SHV Energy N.V. has LPG business in 27 countries covering 3 continents with strong customer base of over 30 million customers across the globe. SHV Energy N.V. has more than seven decades of LPG experience.

An owner of many world-famous LPG Brands, SHV brought its rich expertise to India in 1996 by launching SUPERGAS. SHV Energy in India has established itself as a leading private sector LPG player in the commercial and industrial segments with a truly national presence. With a clear focus for long-term presence in the Indian market, SHV Energy India has established a strong LPG infrastructure consisting of 3 LPG import terminals and 20 filling plants at strategic locations spread across the country.

SHV India has a varied experience in handling integrated LPG installations through our trained and professional technical expertise. The experience has helped us to be knowledge leaders in the Indian LPG market and our offerings are unique compared to others resulting in many benefits to customers. In our continuous pursuit to provide efficient energy solution to our customer we are pleased to introduce and submit our offer for the Maxima Manifold.

SHV ENERGY PRIVATE LIMITED

Regd. Office: Supergas House, IV Floor, SDC Serene Chambers, 8-2 334, Road No 7, Banjara Hills, Hyderabad - 500034.
Tel: +91-040-30604005/06/23540079, Fax: +91-040-23540082/9378, E-mail: shv@supergas.com, Website: www.supergas.com



Our Differentiation and Benefits to Customer

Sl. No.	SUPERGAS Advantages	Benefits to Customer
1	World's No. 1 LPG Company with over 7 decades of international experience	Deal with a reputed company
2	Experience of over 1000 installations in the Indian market in last 10 years	Get customized solutions
3	Installation and services reach in over 17 states	Solution anywhere in country
4	Advice on process, combustion, statutes and safety	Single point of contact for all energy needs
5	Quality guarantee	Material, design, engineering and workmanship as per agreed terms
6	Optimum design and engineering solutions	Minimal operation and maintenance costs Scalability with least cost
7	High standards of safety as per applicable rules, standards and statutes	Safe installation as per law
8	Quick and efficient execution	No delay in production
9	Assured warranties from a single company	Quick response to any warranty related issues
10	Training from experienced professionals on operation, maintenance and safety	Customer personnel become experts
11	Transparency and complete documentation provided	Ensure specs as per commitment and full knowledge transfer
12	Value added services	Reminders for testing, expiry of warranty, safety news letters etc
13	Round the clock availability for Emergencies	Emergency telephone number accessible 24 x 7 to deal with any LPG leakage or emergency
14	Corporate commitment and personal touch for customer satisfaction	Peace of mind

Technical Information
 Type
 Size
 Consumption (kg)
 Media
 Mass flow
 Proposed
 ACP

Customer Technical Information :

Installation Type : Cylinder Manifold
Installation Size : 8 X450
Peak LPG Consumption (kg/h) : 91
Fluid Media : LPG
Max. Mass flow rate at the particular application (kg/h) : 91

Our Proposed Product

EACD Plus Electronic Automatic Changeover Device Plus-WWSD_HSN-85371000
Filter Filter - 40NB - 150#_HSN-84213990
Regulator 40 NB Direct Operated Regulator - 160 kg/h-150#_HSN-84811000
SSV 40NB-SLAM SHUT OFF VALVE 150#_HSN-84811000
Maxima Manifold EFCV-Maxima_HSN-84818030
Manifold within the Yard - 8 X 450 Maxima_HSN-73061011
Maxima Hose_HSN-40092200
Safety Boards (Manifold) Statutory_HSN-83100010
Electrical Vaporizer Electrical Vaporizer - 100 kg/h_HSN-84198990

Proposed Services

Maxima Manifold Cons.Engr.Serv - Project Design & Engg - III_SAC-998399
Installation and Commissioning - 8 X 450 Maxima_SAC-998732

Product Information (Electronic Automatic Changeover Device Plus)

- 1) Construction of EACD Panel MS Powder Coated-Color-Siemens Gray, Wall Mounted
- 2) Panel Mounted PVC Gland-PG-11-Qty- 5 no
- 3) Siren with Flasher , Panel Mounted - Operating on 24 VDC Range -90 DB; Two Level different Audio Alarms for Up Stream and Down Stream Switch Activation
- 4) LVM- Line Voltage monitor for Protect the EACD Panel for High and Low incoming 230VAC
- 5) SMS & EMAIL- Auto Change Over Event will be altered to 9 no SMS & EMAIL from EACD Panel to register Mobile number and Email.

Product Information (Electrical Vaporizer)

Make- Anil/Safecon

Tank Details:

Capacity: 50/100/150/200/250/300/400/450 Kg/Hr
Type: Water Bath, Immersion coil, electrically heated(Indirect heating)
Operating Temperature: 30-90 Deg. C
Operating Pressure- Atmospheric
Thickness- 5.0 mm

Coil Details:

MOC: SS304 Grade A 312T
Operating Temperature: 30-90 Deg. C
Operating Pressure: 2-20 Kg/Sq.cm. (g)

Connections:

Inlet and Outlet: As per industrial standard
Water connection: 15 NB Threaded
Drain connection- 15 NB with Shut-off valve
Electrical requirement: 415VAC, 50Hz, 3-Phase

Accessories:

Safety Relief valve-1/4 inch- 3/4 inch Brass body, Set pressure- 14.5Kg/sq.cm for LPG and 20Kg/sq.cm for Propane
Temperature Controller- Thermostat control
Pressure gauge- 0 to 20 Kg/sq.cm (g), 4 inch dial with a snubber and needle valve for isolation
Pressure switch-1/4 inch / 1/2 inch connection depending on Make
Solenoid valve- Flameproof and weatherproof with flameproof coil and gland; coil voltage- 230V, 50Hz AC

Product Information (Filter)

Filter

Size: Filter - 40NB - 150#_HSN-84213990
Design pressure: 19.0 kg/cm² for ANSI 150;49 kg/cm² for ANSI 300
Design temperature: 5-55 deg C
MOC: Body - Cast steel ASTM A216, Grade WCB or ASTM A105
Powder coated / epoxy painted or SGCI 400 / 12gr
Specification: Filter mesh - Brass / 80X120 size
End connections: ANSI 150# or 300# Raised Flange

Product Information (Maxima manifold installation)

PIPES

1. The pipes used in the manifold system upstream of the first stage regulator which are subjected to direct cylinder pressure shall be capable of withstanding a testing pressure without bursting of 25Kg/sqcm or one and a half times the maximum pressure corresponding to maximum assessed temperature of the cylinder whichever is more. The pipes shall be carbon steel, seamless, as per specifications of IS 1239 (Part 1).
2. Pipes for vapour line shall be ERW heavy class as per specifications of IS 1239 (Part 1).
3. The sizing of pipes shall be determined by the piping size calculations and shall be either of 15NB, 25NB, 40NB, 50NB, 80NB or 100NB.
4. Identification of heavy class pipes are by the ISI mark punched on the pipes and by presence of 75-

Foamz Ma...
either end of long r...
The joints in the...
rocess, usually m...
PE FITTINGS
1. The pipe fr...
a testing p...
maximum...
steel, s...
not h...
2-

at either end of long random lengths and at one end of the pipe for other lengths.

5. The joints in the manifold headers which do not have to be broken in normal use should be welded using a welding process, usually manual metal arc welding, using a material which has a melting point of 540 ° C.

PIPE FITTINGS

1. The pipe fittings (elbows, tees, sockets, nipples etc.) subjected to the cylinder pressure shall be capable of withstanding a testing pressure without bursting of 25Kg/sqcm or one and a half times the maximum pressure corresponding to maximum assessed temperature of the cylinder whichever is more. The pipe fittings shall be as per IS 1239(Part 2), carbon steel, seamless schedule 40 for butt weld fittings and MS forged, 3000 class for socket weld fittings. Threaded fittings shall not be used unless otherwise specified in this document.
2. The Pipe fittings for use in piping which are not subjected to cylinder pressure shall confirm to the provisions of IS 1239 (Part 2) and follow the same specifications as above.
3. In case of flange connections, the flanges shall be SWRF type of class 300# for liquid line and class 150# for vapour line as per ANSI 16.5. Metallic gaskets of minimum thickness 1.5mm are to be used.
4. High tensile material nuts & bolts to be used conforming to dimensions and thread as per ASME B16.5, B18.2.1, B18.2.2, B1.1.

CYLINDER MANIFOLD

1. Manifold tapping for individual cylinder connections shall be taken through MS forged nipple - 3000 class, 50mm long, 15NB 14NPT(M), threaded at one end. The nipple shall be welded directly to the pipe.
2. 15NB 14NPT ball valves of 800 class shall be connected to the other end of the nipple.
3. The ball valve shall be connected to a non-return valve through 15NB 14NPT (M) hex nipple, MS forged type of 3000 class

NON RETURN VALVES

1. Normal operating pressure: upto 20Kg/sqcm
2. Normal operating temperature: upto 65 Deg C
3. Sizes: 15NB full bore
4. Material of construction
 - a. Body: Gun metal
 - b. Type: Swing check type & poppet type
 - c. Poppet: Brass
 - d. Spring: Stainless steel
 - e. Seal: Viton Rubber
5. End connections: 15NB 14NPT(F)

BALL VALVES

1. RATING:
Class 150# & 300# for Flanged Ends
Class 800# for Threaded Ends (Only for 15NB)
2. End Connection:
Raised face to ANSI B 16.5
NPT thread to ANSI B 1.20.1
3. Material
 - a. Body: ASTM A216 Gr WCB,
 - b. Seat: PTFE
 - c. Ball: SS-304, ASTM A 351 Gr CF8
4. Construction: 3piece, MS Lever, standard or full port.
5. Disc: Solid wedge
6. Seat: Renewable
7. Stem: AISI 316, AISI 304
8. Specification ANSI B 16.34
9. Testing: BS 6755 OR ANSI B 16.34 / MSS-SP-110
10. Design: Fire safe to AP 607

THERMAL RELIEF VALVES

1. MOC: Brass
2. Type: Spring loaded
3. End connection: 15NB NPT
4. Set pressure: 15.50 Kg/Sqcm
5. Connection: Connected to pipe lines through 15NB NPT isolation ball valve

PRESSURE GAUGES

1. Type: Dial bourdon type (pressed steel)
2. Material:
 - a. Bourdon: SS-316
 - b. Movement: SS-304
 - c. Casing: Cast aluminium weatherproof
 - d. Socket: Brass
 - e. Dial: Aluminium, black graduations on white background
 - f. Pointer: Aluminium, black coloured
3. Connection Type & size: Bottom connection 15 NB NPT Threaded
4. Dial Size: 100 mm
5. Pressure Range:
 - a. 0-30 Kg/sqcm (Before first stage regulation)
 - b. 0-30 Kg/sqcm (After first stage regulation)
6. Accuracy: (+/-) 1.0 % of full scale

FIRE EXTINGUISHERS

1. Type: Dry chemical powder type as per IS 15683:2006
2. Mounting: Portable
3. Capacity: 9Kg

MAXIMA HOSE

Service	: LPG liquid at cylinder
Type	: BS 4089
Size	: 3/4" NPT (M)
Hose Length	: 1500 mm
Working Pressure	: 25 Kg/sq.cm
Burst Pressure	: 100 Kg/sq.cm
Temperature	: - 40°C to +70°C

SENSING LINE PIGTAIL HOSE

1. Shall confirm to IS 9573: 1998, type 2 hose.
2. Size-8 NB
3. End connection: MS Nut 1/2" NPT hydraulically crimped at both the ends.
4. Length: As required

STRAINER

1. Material: ASTM A 216 Gr WCB, Y Type RF to ANSI B 16.5
2. Class 300#, SS 304
3. Mesh Size: 100 micron

Product Information (Regulator)

40 NB Direct Operated Regulator - 160 kg/h-150#_HSN-84811000
MOC Body: SGCI 400/12 gr
Design Pressure: 19.0 kg/cm² for ANSI 150#, 49 kg/cm² for ANSI 300#
Design Temperature: 5-65 deg. C
Inlet connection: 150 Class & 300 class Size as per requirement
Outlet connection: 150 Class & 300 class Size as per requirement

Product Information (Slam Shut-Off Valve)

Size: 40NB-SLAM SHUT OFF VALVE 150#_HSN-84811000
Design pressure: 19.0 kg/cm² for ANSI 150;49 kg/cm² for ANSI 300
Design temperature: 5-65 deg C
Pressure-setting range: Minimum 1.0 Kgf/cm² ; maximum 4.0 Kgf/cm²
MOC: Body - Cast steel ASTM A216, Grade WCB or ASTM A105
Powder coated / epoxy painted or SGCI 400 / 12gr

Scope of Work:

S.No.	Activity Description (Electronic Automatic Changeover Device Plus)	SUPERGAS	Customer
1.	Supply, transportation unloading and erection of Electronic Automatic Changeover Device Plus	✓	
2.	Supply and laying of electrical cables, cable trays & 230 V AC power supply (Cable for electrical connections is 3 Core 1.5 Sq. mm copper armored cable).		
3.	Power source: Regulated uninterrupted Power Supply(UPS) Single phase, 230 V AC, 50Hz with over/under voltage protection.		
4.	Supervision, Installation, Testing & Commissioning including operational training	✓	
5.	Supply, fabrication and installation of yard piping inclusive of field welding if required and erection on supports and connection to Electronic Automatic Changeover Device Plus.	✓	

- Any other activity not specifically mentioned above will be in the scope of customer

S.No.	Activity Description (Electrical Vaporizer)	SUPERGAS	Customer
1.	Supply, transportation and erection of vaporizer (with FLP control panel)	✓	
2.	Supply and laying of electrical cables, cable trays and Power supply For detailed specifications, please consult SUPERGAS personnel		✓
3.	Supervision, Installation, Testing & Commissioning including operational training	✓	
4.	Supply and erection of piping and isolation valve required to supply soft water(TDS < 500 PPM) to vaporizer. Alternatively an arrangement to put soft water in vaporizer at regular interval		✓
5.	Supply, fabrication and installation of yard piping inclusive of field welding if required and erection on supports and connection to vapourizers ##		✓
6.	Unloading of vaporizer at customer premise		✓

Can be undertaken by SHV on chargeable basis.

- Any other activity not specifically mentioned above will be in the scope of customer

S.No.	Activity Description (Filter)	SUPERGAS	Customer
1.	Supply, transportation unloading and erection of Filter		
2.	Supervision, Installation, Testing & Commissioning including operational training	✓	
3.	Supply, fabrication and installation of yard piping inclusive of field welding if required and erection on supports and connection to filter ##	✓	
			✓

Can be undertaken by SHV on chargeable basis.

- Any other activity not specifically mentioned above will be in the scope of customer

S.No.	Activity Description (Maxima manifold installation)	SUPERGAS	Customer
A	Mechanical Works		
1	Supply and fixing of ball valves, Maxima LOT hoses, pipes, pipe fittings etc		
2	Supply, fabrication and installation of yard piping inclusive of field welding if required and erection on supports	✓	
3	Supply of welding consumables & welding equipment if required	✓	
4	Supply of one no of pallet lift for unloading of cylinders - details of pallet lift will be given by SHV	✓	
			✓

QUOTATION

OM SAI RAM AIR CONDITIONING

HEDF 265/13, BABA KAMBLI CHAWL, GOLIBAR ROAD, SUBHASH NAGAR, SANTACRUZ (E), MUMBAI- 400 055
 MOBILE: 986965546/8169747819/8779077389
 omsairamairconditioning@gmail.com
 MCGM Vendor No. : 33116.
 GSTIN: 27AKVPR3987N1ZR PAN: AKVPR3987N

DATE: 10-01-2025	
Deliver Note	Supplier's No
Mode of Payment	Desp. Through
Buyer's Order No.	Dated
Terms of Delivery	

Buyer's Details:
Foamz Manufacturing (India) LLP
 301, Mukhyadhyapak Bhavan,
 Plot No. 6-B, Road No. 24, Sion Circle
 Mumbai- 400 022

S. N.	Description of Goods	HSN/SAC	Qty	Rate	Amount	CGST	SGST	Amount
1	VOLTAS INVERTER AC 3 STAR 1.00 MT	8415	2	23,000.00	46,000.00	6,440.00	6,440.00	58,880.00
2	VOLTAS INVERTER AC 3 STAR 2.5 MT	8415	6	50,000.00	3,00,000.00	42,000.00	42,000.00	3,84,000.00
3	FIXING CHARGES (LABOUR)		8	1,500.00	12,000.00	1,080.00	1,080.00	14,160.00
					3,58,000.00	49,520.00	49,520.00	4,57,040.00

Amount chargeable in words Rupees FOUR LAKH FIFTY SEVEN THOUSAND FORTY ONLY.


Taxable Amount	3,58,000.00
Tax Amount	99,040.00
Total Amount	4,57,040.00

Terms:
 Issue the cheque in the name of OM SAI RAM AIR CONDITIONING. Or deposit cash
 in the below mentioned bank details.

Bank Name: BANK OF MAHARASHTRA
 A/c No. : 60142941596 IFSC: MAHB0000302 E. & O.E.

Declaration: We declare that this quotation show the actual price of the goods described and that all
 particulars are true and correct.
 SUBJECT TO MUMBAI JURISDICTION.

For OM SAI RAM AIR CONDITIONING


 Authorised Signatory



Mobile : 9892194395

SUMANGAL FURNITURE

MANUFACTURES, SUPPLIERS : Steel Cupboards, Filing Cabinets, Showcase, Bookcase, Cash Box,
Office tables, Executive Revolving chairs, Slotted Angel Racks, School Benches, Desks, S.S. Furniture etc. & Other Steel Furniture

J-20, Mangal Kunj, Behind Bank of India, Opp. Indraprasth Shopping Centre, S.V. Road, Borivali (W), Mumbai - 400 092.

Date: 10/01/2025

To,
Foamz Manufacturing (India) LLP,
301, Mukhyadhyapak Bhavan,
Plot No. 6-B, Road No. 24,
Near Hotel Gurukrupa,
Sion, Mumbai - 400 022

Subject: - Quotation for Office Furniture

Dear Sir,

With reference to your enquiry for above Furniture for your factory at Mahad, we are herewith submitting our lowest quotation as under.

SN	Description	Quantity	Rate	Amount
1	Steel Store well 4 shelves	10	12,500.00	1,25,000.00
2	Locker unit with 8 lockers	10	14,000.00	1,40,000.00
3	Executive Table 60" X 30" X 30"	5	17,000.00	85,000.00
4	Office Table 48" X 24" X 30"	12	9,000.00	1,08,000.00
5	Revolving Executive Chair	12	8,000.00	96,000.00
6	Revolving Chair for Staff	30	3,400.00	1,02,000.00
7	Slotted Angle Rack	10	5,200.00	52,000.00
8	M.S. Stool	12	1,200.00	14,400.00
9	Filing Cabinet 4 drawer	5	18,000.00	90,000.00
10	Folding Chairs	10	550.00	5,500.00
11	Interior	For 1500 Sq. Ft	400	6,00,000.00
Total				14,17,900.00
GST @ 18%				2,55,222.00
Total Amount				16,73,122.00

Terms and Condition:

- 1) Price: Above price quoted for quantity order only.
- 2) Payment: 35% Advance. Balance against Delivery.

Vaidya
Mr. Dilip Vaidya.

For Sumangal Furniture

ASHWINI ENTERPRISES

ATHORISED GOVT LIECENSED ELECTRICAL CONTRACTOR
AMBETHAN CHOCK CHAKAN PUNE 410501

10-01-2025

NAME OF CON. :- M/s- Foamz Manufacturing (India) LLP Mahad

SUB :- Quotation of H t connection 800 kvaTrans. 22kv kiosk H T Cable & other material

Sr	Name of the Material	Unit	Qty	Rate	Amount
1	22 kv GOD Structure for cable	No	1	50000	50000
2	HT Cable 22kv95 sq mm polycab	RMT	15	900	13500
3	Jointing kit 22kv indoor mahindra	No	4	9000	36000
4	Jointing kit 22kv indoor Touch proof	No	3	19500	58500
5	VCB For OLTC Scnieder make	No	1	850000	850000
6	chemical bore Earthing	No	18	9000	162000
7	100x50 channel	No	8	1600	12800
8	Clamps 6x6	No	12	180	2160
9	Pin insulator 22kv with G I pin	No	3	600	1800
10	G I wire 8 swg G I bus bar	Kg	100	80	8000
11	ACSR Conductor	Kg	10	200	69000
12	LT Cable 300 sq mm	RMT	75	1100	82500
13	MCCB l600Amp/ 4l5v, muti fun meter	No	1	150000	150000
14	Kiosk Huphen	No	1	180000	180000
15	Transformer 800kva/22lcv with OLTC static electricals	No	1	1700000	1700000
16	Transportation	L S	1	20000	20000
17	Labour charges	L S	1	100000	100000
18	Inspection & testing permission	L S	1	50000	50000
19	Laisioning charges			200000	200000
20	civil work and material	by party			0
21	MSEDCL Deposit etc	by party			0
	Total				3746260

MSEDCL charges security Deposit and 1.3% sup. By party

Total in words;- Thirty Seven Lakh Forty six thousand two hundred sixty

only Note :- 1) Adv 100000/- with Document

2) Balance Payment as per Requirement

3) GST 18% Extra on total bill amount

4) work completion within 6 to 8 week

s) Cement , sand , grit, by party

For Ashwini Enterprises



Proprietor

Fwd: FoamzIndia

1 message

Shailesh Jayawant <shaileshjayawant@gmail.com>
To: suhas masurkar <foamzindia@gmail.com>

9 January 2025 at 15:4

----- Forwarded message -----

From: **Saurashtra Systopack - Daisy** <info@saurashtra.net>
Date: Thu, 9 Jan, 2025, 2:24 pm
Subject: FoamzIndia
To: <shaileshjayawant@gmail.com>

M/s. Foamz India

Mahad

Kind attn: Mr. Shailesh

Dear Sirs,

As per the telephonic talk today, attached please find our Quotation no: TE/527/W Dated:9.1.2025 for Univers Testing Machine, Puncture Resistance Tester, Substance and Box Compression Strength tester along with relevant technical brochure.

We have taken care to provide you all relevant information. Further if you need any clarification please feel free to contact us.

You are requested to kindly identify the model you wish to finalize to enable us to provide you a discounted offer for the same.

Kindly let us know if you want us to send you Hard Copies of above quotation by post/ courier.

We now look forward to the pleasure of receiving your valued order along with necessary advance which will receive our best and prompt attention.

Deduction of TDS under section 194Q does not apply to us for the current financial year.

IQ,PQ,OQ Documents : IQ,OQ,PQ Documentenation will be done on the day of Installation. However, in case you need extra visit for the documentation, the visit will be on chargeable basis.

Note : E-Invoice is applicable to us from 1st August 2023

Thanks,



Look forward to the pleasure of receiving your valued order along with necessary advance and prompt attention.

Exemption of TDS under section 194Q does not apply to us for the current financ

Q,PQ,OQ Documents : IQ,OQ,PQ Documentenation will be done on the day of Inst
However, in case you need extra visit for the documentation, the visit will be on
basis.

Note : E-Invoice is applicable to us from 1st August 2023

Thanks,

Regards,

Jesal Shah Mansinghani

Director

Saurashtra Systopack Pvt. Ltd.

CIN-U33123MH1998PTC113502

102-104 Shilpin Centre, 40 G. D. Ambekar Road, Wadala, Mumbai 400031.

T +91 22 6736 4343 | F +91 22 6736 4300 | E+ info@saurashtra.net | www.saurashtra.net

Mob: +91 9819025551






KINDLY NOTE CHANGE IN OUR OFFICE TIMINGS STARTING 1 NOV 2023

MONDAY TO FRIDAY 10 AM TO 7.15 PM

SATURDAY AND SUNDAY OFF.

We are not registered under MSME

5 attachments

-  **Box Compression 2015.pdf**
946K
-  **Puncture 2015.pdf**
301K
-  **Substance Indicator 2015.pdf**
288K
-  **Universal Testing 2019 Final.pdf**
2801K
-  **Foamz India - Mahad 527W dt.9.1.2025.pdf**
755K



Saurashtra Systopack Pvt. Ltd.
 CIN: U33123MH1998PTC113502
 GSTIN: 27AADCS0996B1ZE



102-104, Shilpln Centre, 40 G. D. Ambekar Road
 Wadala, Mumbai 400 031, India
 Tel.: +91 22 6736 4343 • Fax: +91 22 6736 4300
 Email: info@saurashtra.net • Website: www.saurashtra.net

QUOTATION

Foamz India
 Mahad, Maharashtra

Quotation No.	Date
TE / 0527 / W	9-Jan-25
Enquiry No.	Date
Telephonic talk- REF: Our qtn dt.26.3.2024	09-Jan
HSN CODE:	90248010

Mr. Shailesh Jayawant
 Tel: 91 9867083653
 E-mail: shaileshjayawant@gmail.com

Dear Sir,

With reference to your above enquiry, we have pleasure to quote our rates as under:

Sr. No.	Product Code	Product Description	Rate Per Pcs in (₹)
1	UTM-500	<p>UBIQUUE Universal Testing Machine Model: Single Column Model having Microprocessor Based Coputerised Control Panel Powered by CONNEXT Applicatitons: Compression, Tensile, Elongation, 180° Peel. Suitable For Testing Application Of: Plastics, Paper, Packaging Materials, Adhesive Tapes, Films, Foils, Metals, Textiles, Foams, Paper & Board, Food & Beverage, Pharmaceuticals, Wood, etc... Optional Test: Flexure/Bending Stiffness, 90° Degree Peel Test, Coefficient of Friction Test, Torque Test, Edge & Flat Crush OF Corrugated Board, Pin Adhesion Test Corrugated Board, Ring Crush Test, Puncture/Rupture Test And Many More.</p> <p>Specifications:</p> <ul style="list-style-type: none"> • Grips: Flat and Line Grip Attachments • Loading Surface: 125 mm X 100 mm • Load Cell Capacity: Upto 500 kgF (User to choose suitable capacity) • Sensors: upto 4 sensors with Easy change over and Calibration recall. • Least Count of Load Cells: 0.1% Full scale • Accuracy of Load Cells : ± 0.2% • UOM: kgF, N, lbs, Kn. • Admit between Platens: 500 mm (Customisation available) • Least count of Length: 0.1 mm • Accuracy of Length: ± 0.1 mm • Loading System: SERVO MOTOR with suitably reduced gear box and ball screws. • Loading Speed: ~1 to 500 mm/min settable in steps of 1 mm/min (Customisation available) • Communication: USB & LAN • Test Program: Single Stage Recipe • Report: Pre-Programmed Rreport Formats • Software: UTM CONNEXT-TS with Data Management and Access Control <p>Customisation:</p> <ol style="list-style-type: none"> 1. Additional Loadcell 2. Increase Admit between Paltens from 500 to 1000 mm 3. Increase Settable Speed from 500 to 1000 mm/min <p>Despatch Time: Within 12-14 weeks</p>	9,38,000



Saurashtra Systopack Pvt. Ltd.

CIN: U33123MH1998PTC113502

GSTIN: 27AADCS0996B1ZE



102-104, Shilpin Centre, 40 G. D. Ambekar Road
Wadala, Mumbai 400 031, India

Tel.: +91 22 6736 4343 • Fax: +91 22 6736 4300

Email: info@saurashtra.net • Website: www.saurashtra.net

QUOTATION

Foamz India

Mahad, Maharashtra

Mr. Shailesh Jayawant

Tel: 91 9867083653

E-mail: shaileshjayawant@gmail.com

Quotation No.

Date

TE / 0527 / W

9-Jan-25

Enquiry No.

Date

Telephonic talk-
REF: Our qtn dt.26.3.2024

09-Jan


HSN CODE:

90248010

Dear Sir,

With reference to your above enquiry, we have pleasure to quote our rates as under:

Sr. No.	Product Code	Product Description	Rate Per Pcs in (₹)
5	UBC1M/1T-P	<p>UBIQUE Box Compression Strength Tester Model: Micro Processor based Digital Model Application: Box Compression Strength Tester as per TAPPI T-804, FEFCO TM50, ASTM D 642 and other relevant international standards.</p> <p>Features:</p> <ul style="list-style-type: none">• Preset Load & Preset Length Test Modes• Auto Tare of preload on Test Start• Auto retreat after test completion• LCD indicator for digital indication of test results with peak hold function• LED Load indicator for realtime load values• LED Length indicator for realtime corresponding deflection values• Programable Menu for Test Parameters and Batch Information.• Review of previous test batch.• Fast Mode for approach and retreat.• Printer port (LPT1) for Printed report.• Serial Port (RS232) for Data transfer - Software included. <p>Max Box Size: 1000 X 1000 X 1000 mm (L X W X H) Capacity: 1000 kgF Least Count: 1 kgF Accuracy: > 0.5% FS Power Supply: 415 V, 50 Hz Three Phase Data & Print: 80 col dot matrix Printer OR WIN 7 PC to be provided by user Availability: 6-8 weeks</p>	659000



Saurashtra Systopack Pvt. Ltd.

CIN: U33123MH1998PTC113502

GSTIN: 27AADCS0996B1ZE



102-104, Shilpin Centre, 40 G. D. Ambekar Road
Wadala, Mumbai 400 031, India

Tel.: +91 22 6736 4343 • Fax: +91 22 6736 4300

Email: info@saurashtra.net • Website: www.saurashtra.net

QUOTATION

Foamz India Mahad, Maharashtra Mr. Shailesh Jayawant Tel: 91 9867083653 E-mail: shaileshjayawant@gmail.com	Quotation No.	Date
	TE / 0527 / W	9-Jan-25
	Enquiry No.	Date
	Telephonic talk- REF: Our qtn dt.26.3.2024	09-Jan
	HSN CODE:	90248010

Dear Sir,

With reference to your above enquiry, we have pleasure to quote our rates as under:

Sr. No.	Product Code	Product Description	Rate Per Pcs in (₹)
7	UBC1M/1T-TS	UBIQUE Box Compression Strength Tester Model: Microprocessor based Touch Screen Control Panel Model Application: Box Compression Strength Tester as per TAPPI T-804, FEFCO TM50, ASTM D 642 and other relevant international standards. Features: <ul style="list-style-type: none"> • Peak Load, Preset Load & Preset Length Test Modes. • Auto Tare of preload on Test Start. • Auto retreat after test completion. • Computerised 15" Resistive Touch Screen Control Panel • Preloaded official softwares with back/restore & data • Programmable Menu for Test Criteria, Parameters and Batch Information. • Manage, Store, Review and reporting of past test data batches. • Fast Mode for approach and retreat. • Communication: USB port X 2 & LAN port X 1 • Single phase Periferal Power supply provision • Remote Assistance enabled Max Box Size: 1000 X 1000 X 1000 mm (L X W X H) Capacity: 1000 kgF Least Count: 1 kgF Accuracy: > 0.5% FS Power Supply: 415 V, 50 Hz Three Phase Availability: 16-20 weeks	863000



Saurashtra Systopack Pvt. Ltd.
 U33123MH1998PTC113502
 GSTIN: 27AADCS099681ZE



102-104, Shilpin Centre, 40 G. D. Ambekar Road
 Wadala, Mumbai 400 031, India
 Tel.: +91 22 6736 4343 • Fax: +91 22 6736 4300
 Email: info@saurashtra.net • Website: www.saurashtra.net

QUOTATION

Foamz India
 Mahad, Maharashtra

Mr. Shailesh Jayawant
 Tel: 91 9867083653

E-mail: shaileshjayawant@gmail.com

Quotation No.	Date
TE / 0527 / W	9-Jan-25
Enquiry No.	Date
Telephonic talk- REF: Our qtn dt.26.3.2024	09-Jan
HSN CODE:	90248010

Dear Sir,

With reference to your above enquiry, we have pleasure to quote our rates as under:

Sr. No.	Product Code	Product Description	Rate Per Pcs in (₹)
9	USI-D	UBIQUE Substance indicator Model: Digital Application: To measure the GSM of materials using a small specimen Features: Setteable scales - • 10 cm X 10 cm • 10 cm X 20 cm • 20 cm X 25 cm Supplied with cutting templates for each scale. Capacity: 0 - 999 GSM (> 0.1% of FS) Accuracy: ± 1 GSM Power Supply: 230 V, 50 Hz Single Phase Availability: 1 week	63000
10	USI-D3000	UBIQUE Substance indicator Model: Digital Application: To measure the GSM of materials using a small specimen Features: Setteable scales - • 10 cm X 10 cm • 10 cm X 20 cm • 20 cm X 25 cm Supplied with cutting templates for each scale. Capacity: 0 - 3000 GSM (> 0.1% of FS) Accuracy: ± 1 GSM Power Supply: 230 V, 50 Hz Single Phase Availability: 1 week	66000
	NOTE	Despatch time mentioned above is normal despatch time. However despatch time will depend on our order position at the time of receipt of your official P.O. with advance.	
	PACKING	PACKING CHARGES EXTRA AS APPLICABLE	

RE: Shipment EX BUSAN,Korea

Shailesh Jayawant <shaileshjayawant@gmail.com>
 To: suhas masurkar <foamzindia@gmail.com>

10 January 2025 at 14:2

From: KANNAN G <kannan@chakial.net>
Sent: Friday, January 10, 2025 2:23 PM
To: foamsmfingdia@gmail.com <foamsmfingdia@gmail.com>
Cc: shaileshjayawant@gmail.com <shaileshjayawant@gmail.com>; foamzindia@gmail.com <foamzindia@gmail.com>
Subject: RE: Shipment EX BUSAN,Korea

Hello Shailesh,

PI find below our charges for your FOB shipment Ex Busan port

Origin Local charges(thc/bl/seal etc) to be paid by Shipper.

Ex Busan port:

Ocean freight to Nhava sheva \$4000/40'

Custom clearance charges at Nhavasheva

Charges for handling import customs clearance of 14x40 Containers consisting of Machinery through Nhava Sheva.		
No.	Cost Head	40' Container
		Rs.
A	Statutory Charges - Receipted expenses.	
1	Shipping Line charges - Indicative rate - at actual	41300
2	CFS Charges (Our nominated CFS)Haz/scanning charges if any at actual	14500
3	Weighment charges	1200
4	Stamp duty charges : 0.1% of CIF + Duty	At Actual.
B	Customs clearance related charges	
1	Documentation charges	1500

om: KANVA
ent: 13 Ju
o: team
Cc: sh
Subj

2	Customs inspection charges	
3	Our Service Charges	
4	EPCG License Registration Charges (if any) per License.	7500
5	First Time Import Registration (if any)	7500
6	Insurance charges for empty container -	250
7	Survey charges (if required) per container.	3500
C	Transportation charges	
1	Nhava Sheva to Mahad - Nhava Sheva Loaded container. (weight : 10-15 MT per container)	33000
	Note :	
1	Please obtain 14-21 days free time against container detention charges.	
2	Ground rent at our Nominted CFS will be free for 7 days. after free days - will be at actual as per CFS Tariff.	
3	Equipment / Labour for examination at CFS, if instructed by customs	at actual
	will be at actual subject to a maximum of Rs.1500/per container.	
4	Transit insurance (if required)	
5	Customs statutory payments	
6	Trailer halting @ Rs.2000/day after 12 hours of reporting	
7	Unloading charges and local sundries at destination on consignee account.	
8	We require the shipping documents for movement of container to our preferred CFS we in advance.	
	In case of non-receipt of documents in advance/ or any other reasons the container will be moved to shipping	
	Line nominated CFS and the charges will be as per their tariff.	
9	Advance will be required against all receipted expenses and 80% of Transporation and other charges.	
10	Our bills to be settled prior to delivery of cargo	

Regards,

From: KANNAN G <kannan@chakiat.net>

Sent: 13 June 2024 11:19

To: 'foamsmfngindia@gmail.com' <foamsmfngindia@gmail.com>

Cc: 'shaileshjayawant@gmail.com' <shaileshjayawant@gmail.com>; 'foamzindia@gmail.com' <foamzindia@gmail.com>

Subject: RE: Shipment EX BUSAN,Korea

From: KANNAN G <kannan@chakiat.net>

Sent: 10 June 2024 15:39

To: 'foamsmfngindia@gmail.com' <foamsmfngindia@gmail.com>

Subject: Shipment EX BUSAN,Korea

Dear Sir,

PI find attached custom clearance & Handling charges at Nhavasheva.

Origin charges(Busan)

Ocean freight Ex Busan to Nhava sheva \$4000/40 indicative

Import from Korea under FTA Notification No.152/2009 is 5% Basic duty. (The duty will be 5.5% (including basic duty of 5% + 10% SWS or duty + 18% GST.)

Regards,

Kannan Gopalan



Chennai machinery.xlsx

11K View as HTML Download