

नवी मुंबई महानगरपालिका

कार्यालय: न.मुं.म.पा. मुख्यालय, भूखंड क.१, किल्ले गांवठाण जयळ, पामनीय जंवशन, से -१५ए, सी.बी.डी. बेलापूर, नवी गुंबई - ४०० ६१४. दूरव्यनी: ०२२-२७५६ ७०७०/७१

फॅबस : ०२२-२७५७७०७०

Navi Mumbai Municipal Corporation

Office: N.M.M.C. Head Quarter, Plot No.1, Near Kille Gaonthan, Palmbeach Junction, Sec-15A, C.B.D. Belapur, Navi Mumbai - 400 614 Tel.: 022 - 2756 7070 //1 Fax.: 022 - 27577070

NMMC:TPM:CC: ? 960: 7084-7085

जा.क्र./नमुंमपा/नरिव/बां.प./प्र.क्र.ए -१७४८३ हिनांक :- २९/०७/२०१६

प्रति, श्री. हणमंत सर्जेराव भोसले भूखंड क्र.एस.एस.-३/८०५, सेक्टर -०८, कोपरखैरणे, नवी मुंबई

नस्ती क्र. - नमुंमपा/वि.प्र.क्र. - ८३३/२०१३

प्रकरण क्र. ए -१७४८३

विषय:- भूखंड क्र.एस.एस.-३/८०५, सेक्टर -०८, कोपरखैरणे नवी मुंबई या जागेत निवासी

वापरासाठीच्या पूनर्बांधणी / पूनर्विकासासाठी बांधकाम परवानगी देणेबाबत. संदर्भ :- आपले वास्तुविशारद यांचा दि.२६/०७/२०१३ व ०४/०४/२०१४ रोजीचा अर्ज.

महोदय,

भूखंड क्र.एस.एस.-३/८०५, सेक्टर-०८, कोपरखैरणे, नवी मुंबई या जागेत निवासी वापरासाठीच्या पूनर्बोधणी पूनर्विकासासाठी बांधकाम परवानगी देणेबाबतचा प्रस्ताव महानगरपालिकेस वरील संदर्भाधिन पत्रान्वये प्राप्त झालेला आहे. संदर्भाधि जागेत निवासी उपयोगासाठी खालील तपशिलानुसार, मुंबई प्रांतिक महानगरपालिका अधिनियम १९४९ च्या कलम २५३ व २५४ तसे महाराष्ट्र प्रादेशिक नगररचना अधिनियम १९६६ च्या कलम ४५ (१) (३) मधील तरतुदीनुसार पूनर्बोधणी / पूनर्विकासासाठी बांधका परवानगी देणेत येत आहे.

अर्जदार :- श्री. हणमंत सर्जेराव भोसले, भूखंड क्र. एस.एस.-३/८०५, सेक्टर -०८, कोपरखैरणे, नवी मुंबई.

१)	भूखंडाचे एकूण क्षेत्रफळ	२८ चौ.मी.
	एकुण बांधकाम क्षेत्र	२७.८८१ चौ.मी.
₹)	अतिरिक्त बांधकाम् क्षेत्र	११.०४४ चौ.मी.
૪)	अनुज्ञेय चटई क्षेत्र निर्देशांक	8.00
५)	वापर	निवासी

बांधकाम प्रारंभ प्रमाणपत्र सोबत जोडले आहे. त्यातील अटी / शर्ती तसेच खाली नमूद केलेल्या बार्बीचे पालन करणे आवश्य राहीलः

पाणी पुरवठा व मलिनः सारण सुविधा आवश्यक शुल्क भरणा केल्यानंतर उपलब्ध करून देण्यात येतील.

सार्वजिनक स्वरुपाच्या रस्त्यावर व गटारीत बांधकाम साहित्य पडणार नाही याची दक्षता घेण्यात यावी. अशाप्रकारे बांधव साहित्य रस्त्यावर अथवा इतर सार्वजिनक जागेवर आढळुन आल्यास आपणावर कार्यवाही करणेबाबत संबंधित विभागास कळिवण्य येईल किंवा बांधकाम परवानगी रद्द करण्याबाबतची कार्यवाही सुध्दा करण्यात येईल याबाबतची नोंद घ्यावी.

बांधकाम सुरु असताना जागेवरील रिकामे गाळे/सदिनका यांची संरक्षणाची जबाबदारी संबंधित जिमनमालक / भुखंडधारव गाळेधारक यांची राहील. तसेच अर्धवट बांधलेल्या जागेचा गैरवापर होऊ नये म्हणुन संबंधित भुखंड धारकाने कुंपण भिंत बांधुन ठिकाणी अनुचित प्रकार होणार नाही याची दक्षता घ्यावी. गैरकृत्य करताना आढळल्यास संबंधितांस कायदेशिर कार्यवाही करण्यात ये याची नोंद घ्यावी.

भूखंड सखल भागामध्ये असल्यास जमीनीची पातळी (Ground Level) भरणी करुन उंच करावी. जमीनीची पातळी ही र आणि Sewer Line यांच्यापेक्षा उंचावर असली पाहिजे. सांडपाणी, पावसाळयाचे पाणी आणि मल यांचा निचरा योग्यपणे हो भूखंडामध्ये पाणी साचणार नाही अशी भूखंडाची पातळी तयार करावी. इमारतीचे बांधकाम मंजूर नकाशाप्रमाणे करण्यात यावे. बांधकामामध्ये फेरफार अथवा वाढीव बांधकाम करावयाचे असल्यास महाराष्ट्र प्रादेशिक व नगररचना अधिनियमातील तरतुदीनुसार सुधारित बांधकाम नकाशे मंजुर करुन घेणे आवश्यक आहे. मंजुर नकाशा व्यतिरिक्त बांधकाम केल्यास ते कायद्यातील तरतुदीनुसार कारवाईस पात्र राहील, याची कृपया नोंद घ्यावी.

बांधकाम सुरु करताना कामाचे नाव, बांधकाम परवानगीची तारीख, वास्तुविशारदाचे नाव, जिमन मालकाचे नांव, ठेकेदाराचे नाव, बांधकाम क्षेत्रा इ. बाबी दर्शविणारा फलक लावण्यात यावा. महानगरपालिकेस माहीतीसाठी ठेकेदाराचे नाव व दुरध्वनी क्रमांक इ. बाबतचा तपशिल काम सुरु केल्यानंतर या कार्यालयास पाठविण्यात यावा हि विनंती.

शासन परिपत्रक उद्योग, उर्जा व कामगार विभाग क्र. बीसीए २००७/प्र.क्र.७८८/कामगार ७-अ, दि. २६ ऑक्टोंबर २००९ नुसार सदर प्रकरणात कामगार उपकर अदा केला असुन त्यास कामगार कल्याण उपकर युनिक कोड क्र. २०१४०२००४०३ ए-१७४८३ ०१ देण्यात आला आहे.

अट:

- १) प्रस्तुत भूखंडावरील इमारतीचे बांधकाम करीत असतांना बांधकामामुळे आजुबाजुच्या नागरीकांना प्रदुषणाचा त्रास होणार नाही तसेच बांधकाम प्रगतीपथावर असताना बांधकामावरील मजूर अथवा सभोवतालच्या परिसरामधील नागरीकांच्या सुरक्षिततेसाठी National Building Code मधील तरतुदींचे तसेच अनुषंगीक कायद्यातील तरतुदींचे काटेकोरपणे पालन/अंमलबजानणी करणे संबंधीत भूखंडधारक/ विकासकांवर बंधनकारक राहील. जर भविष्यात आपले मालकीच्या भूखंडावर चालु असलेल्या बांधकामामुळे जिवीत अथवा सार्वजनिक /खाजगी मालमत्तेस कुठल्याही प्रकारची हानी झाल्यास त्यास संबंधीत भूखंडधारक/विकासक हे सर्वस्वी जबाबदार राहतील.
- २) प्रस्तुत भूखंडावर भोगवटा प्रमाणपत्रासाठी अर्ज सादर करणेपूर्वी आपले भूखंडाचे आजुबाजुस असणाऱ्या सार्वजिनक स्वरुपाचे पदपथ, रस्ते, गटारे, जलवाहिन्या, मलिन:स्सारण वाहिन्या इत्यादी बाबीस काही हानी पोहोचली असल्यास सदर बाबी पुर्ववत करण्याची सर्वस्वी जबाबदारी भूखंडधारकाची /विकासकाची राहील अन्यथा भोगवटा प्रमाणपत्रासाठी अर्ज विचारात घेतला जाणार नाही, याची नोंद घ्यावी.
- ३) पुर्नः विकासाचे अनुषंगाने विदयमान इमारतीचे बांधकाम काढुन टाकतांना निघालेले बांधकाम साहित्य, डेब्रीज हे सार्वजनिक स्वरुपाच्या जागेवर टाकण्यात येवु नये. सदर साहीत्य विभाग अधिकारी, नवी मुंबई महानगरपालिका यांनी नेमुन दिलेल्या जागेवरच टाकणेची दक्षता घेण्यात यावी.
- ४) प्रस्तुत भुखंडावर बांधकाम परवानगी दिल्यानंतर संबंधित भुखंडाच्या वास्तुविशारदाने कामाच्या प्रगतीबाबतचा अहवाल दर दोन महिन्यांनी या कार्यालयास विना विलंब सादर करणे बंधनकारक राहील अन्यथा भोगवटा प्रमाणपत्रासाठी आपला अर्ज विचारात घेतला जाणार नाही याची नोंद घ्यावी.
- ५) प्रस्तुत प्रकरणात सादर करण्यात आलेली कुठलीही माहिती/कागदपत्रे चुकीची अथवा दिशाभूल करणारी असल्याचे निदर्शनग्म आल्यास सदरची परवीनगी आपोआप रह होईल.

प्रत माहितीसाठी :

- मे. क्रीयेटीव्ह डिझाईन आर्च, वास्तुविशारद
 ३०७, बावा टावर, से.१७, वाशी,, नवी मुंबई.
- २) मुख्य नियोजनकार, सिडको लि.
- ३) विभाग अधिकारी, कोपरखैरणे, नमुंमपा.

आपला

BIDDAG

(किशोर मा. अग्रहारकर) नगररचनाकार

नवी मुंबई महानगरपालिका

NAVI MUMBAI MUNICIPAL CORPORATION COMMENCEMENT CERTIFICATE

NO:NMMC/TPD/BP/Case No.17483/ 4698 /2016

DATE: 2-1/07-12016

Permission is hereby granted under Section 45(1) (iii) of the Maharashtra Regional & Town Planning Act, 1966 and Section 253 & 254 of the Bombay Provincial Municipal Corporation Act, 1949, Shri Hanamant Sarjerao Bhosale, Plot No.SS-III/805, Sector -08, Koperkhairane, Navi Mumbal, As per the approved plans and subject to the following conditions for the redevelopment / reconstruction work of the proposed Building.

Total BUA = 27.881 m² Additional Built Up Area 11.044 m² F.S.I. = 1.00 (Residential)

1) The Certificate is liable to be revoked by the Corporation if:

a) The development work in respect of which permission is granted under this Certificate is not carried out or the use there of is not in accordance with the sanctioned plans.

b) Any of the conditions subject to which the same is granted or any of the restrictions imposed

by the Corporation is contravened.

c) The Municipal Commissioner is satisfied that the same is obtained by the Applicant through fraud & misrepresentation and the Applicant and /or any person deriving title through or unde him, in such and event shall be deemed to have carried out the development work i contravention of Section 43 or 45 of the Maharashtra Regional & Town Planning Act,1966.

2) THE APPLICANT SHALL:

a) Give a notice to the Corporation on completion up to plinth level and 7 days before th commencement of the further work.

b) Give written notice to the Municipal Corporation regarding completion of work.

c) Obtain an Occupancy Certificate from the Municipal Corporation.

- 3) Allow the Officers of the Municipal Corporation to enter the building or premises for which the permission has been granted at any time for the purpose of enforcing the Building contractions and conditions of this Certificate.

 The structural design, building materials, plumbing services, fire protection, electrical installative etc. shall be in accordance with the provision (except for provision in respect of floor area ratio) prescribed in the National Building Code amended from time to time by the Indian Standa institutions.
- 4) The Certificate shall remain valid for a period of one year from the date of issue and can further revalidated as required under provision of Section M. R. & T. P Act, 1966. T commencement Certificate is renewable every year but such extended period shall be in no cated exceed three years provided further that such lapse shall not be any subsequent applicant fresh permission under Section 44 of the Maharashtra Regional & Town Planning Act, 1966.

The condition of this Certificate shall be binding not only on the Applicant but also its success

and every person deriving title through or under them.

6) A certified copy of the approved plans shall be exhibited on site and the Name Board show name of Owner, Architect, Builder & Structural Engineer, Ward No., Sector No., Plot No., Sur No., Area of Plot., No. of flats, Built-up Area, Commencement Certificate No. & Date shall installed on site.

7) The plot boundaries shall be physically demarcated immediately and the intimation be given to

section before completion of plinth work.

8) The amount of S.D. Rs.390/- S.D. Rs.560/- for Mosquito Prevention's. Rs.560/- for debris & Rs.500/- for Tree Plantation deposited with NMMC as Security Deposit shall be forfeited eith whole or in part at the absolute discretion of the corporation for breach of any other Bui Control Regulation and condition attached to the permission covered by the Commence Certificate. Such a forfeiture shall be without prejudice to any other remedy or right o Municipal Corporation.

You shall provide overhead water tank on building & underground water tank in two compartments, one for drinking water & another for other than drinking water. It should confirm to the standards applicable in this behalf.

10) You should approach to the Executive Engineer, M.S.E.B. for the power requirement location of

transformer if any, etc.

- 11) Every plot of land shall have at least 1 tree for every 100 Sq.M. or part thereof of the plot area.
- 12) For all building of non-residential occupancies and residential building with more than 15M heigh following additional conditions shall apply:
 - a) The staircase shall be separated by fire resistance walls and doors from rest of the buildings.

b) Exit from lift lobby shall be through a self closing smoke stop door.

c) There shall be no other machinery in the lift machinery room.

- d) For centrally air conditioned building area of external open able windows on a floor shall t minimum 2.5 % of floor area.
- e) One of the lift (Fire lift) shall have a minimum loading capacity of 6 persons. It shall have sol doors. Lights shall not be designed in the staircase wall.

Electrical cables etc. shall in separate ducts. f)

g) Alternate sources of electric supply or a diesel generator set shall be arranged.

h) Hazardous material shall not be stored.

Refuse stamps or storage places shall not be permitted in the staircase wall. i)

Fire fighting application shall be distributed over the building.

k) For building upto 24 M. Height capacity of underground storage tank and overhead storage shall be 50,000 ltrs. and 10,000 ltrs respectively. Wet rises shall be provided. Pump capacity 1000 ltrs./min and 250 ltrs/min. respectively.

For building with height above 24 mtrs., the figures shall be 75000 ltrs. and 20,000 ltrs.

the pump capacity of 1350 ltrs/min and 450 ltrs/min respectively.

13) Recreation ground or amenity open space be developed before submission of Builc Completion Certificate.

14) No work should be started unless the existing structures are to be demolished with atmost care 15) Applicant/Architect should strictly follow all the conditions of lease agreement. Owner & Arch

- will be held responsible for breach of any condition of lease Agreement of CIDCO. 16) The Owner & the Architect and Structural Engineer concerned are fully responsible for Construction quality of the building as per approved building plan. Structural design, Sta building construction quality, which should confirm to withstand an earthquake of Highest inte in seismic zone IV.
- 17) The Occupancy Certificate for the proposed building will not be granted unless the h Drainage lines are connected to the Municipal Main Sewer lines to the satisfaction of Mun Authority as well as Plantation of trees and provision of garbage bin on the site.

18) Application for completion/occupation Certificate shall be accompanied with the plan a

construction done on the site.

19) Area of required parking spaces as shown in approved plan should be marked with the mate permanent nature with numbering.

20) The building material in reconstruction case or soil removed from the trenches should dumped or stored on municipal road. It should be dumped or stored on site as would be d by the concern Ward Officers of Navi Mumbai Municipal Corporation.

21) The building constructed should not be occupied without obtaining Occupation Cer Otherwise it will be treated as unauthorized use and necessary action as per law will be tak 2) This Commencement Certificate is valid up to plinth level only. The further order will be given after the plinth is inspected.

The applicants should fulfill all the health related provisions mentioned in the "Implementation o 3) Ant larval & Mosquito Prevention Activities during and after construction and Tree Authority Bye Laws 1966 "The special mention is for mosquito prevention activities, construction of over-hear tanks, debris removal and the sanitary conditions of drainage etc.

The construction work shall be completed before one year and must be applied for O.C. with a 4)

concerned NOC.

3)

Window sill level must be at 0.90 M. height. The difference between chajja level & slab level 5) must be 0.50 M. minimum.

The Owner & the architect are fully responsible for any Ownership. Area & Boundary dispute

In case of any dispute Navi Mumbai Municipal Corporation will not be responsible.

Temporary Labour sheds with proper toilet arrangement shall be provided on the site. If sufficie 7) arrangement is not provided permission for construction above plinth level will not be granted said temporary shed should be demolished prior to O.C.

F.S.I. calculation submitted in the drawings shall be as per Development Control Rules. If a 3) discrepancy observed, the Architect will be held responsible and liable for necessary action.

The area shown open to sky on the ground floor plan should not be so used as would disturb t 3) maneuvering of the vehicles required to be parked in the parking spaces shown in the plan.

As directed by the Urban Development, Department Government of Maharashtra, under secti)) - 154 of MR&TP Act-1966 and vide provision No. TPB 432001/2133/CR-230/01/UD-11, dat 10/03/2005, for all buildings greater than 300.00 sq. m. following additional condition of R Water Harvesting shall apply.

a) All the layout open spaces of Housing Society and new construction /reconstruction/ addition on plots having area not less than 300.00 sq. m. shall have one or more Rain Water Harvest

structures having minimum total capacity as detailed in Schedule (enclosed). Provided that the authority may approve the Rain Water harvesting Structures of specification different from those in schedule, subject to the minimum capacity of Rain Water Harves being ensured in each case.

b) The owner/ society of every building mentioned in the (a) above shall ensure that the Rain W Harvesting structure is maintained in good repair for storage of water for non potable purpo

or recharge of groundwater at all times.

c) The Authority may impose a levy of not exceeding Rs. 1000/- per annum for every 100 sq. r built up area for the failure of the owner of any building mentioned in the (a) above to provice to maintain Rain Water Harvesting as required under these byelaws.

The Owner / Society has paid the labour cess as per circular issued by the Governme Industries, Energy & labour Department Vide No. BCA 2007/CR.788/Labour 7-A,dated October 2009 & accordingly a Labour Welfare cess Unique Code No.20110200403 01 is given.

(Kishor M. Ayraharkar)

lavi Mumbai Municipal Corpora